

National Sign Company

email: sales@nsco1.com

Telephone: 800-255-4369



Manufacturing Signs Since 1915

TABLE OF CONTENTS

Aluminum Sign Blanks	36
Banding/Strapping	37
Barricades:	
A-Frame	45
Crowdcade™	46
Lanegard3	47
Type II	45
Type III	44
Boots/Waders	72
Brackets:	
Chevron	10
Street Name	34-35
Caution Tape	59
Channelizers	49-50
Cone Bars	48
Delineator, Aluminum	15
Delineator, Plastic	15
Diamond Blades	61
Fence	50
Flags:	
Marking/Survey	51
Warning	51
Flashers:	
Beacon	56
D-Cell	57
Solar	57
Type B	57
Grader Blades	70
Hardware/Fasteners	37, 39
Hose:	
Continuous Rod	67
Discharge	67
Fill	67
Suction	67
Versa Cutter, Blades, Clams	67
Hydrant Marker	51
Light Bars, Vehicle	62
Lute Rake	61
Measuring Wheel	59
Paint:	
Marking Paint	59
Striping Paint	59
Parking Stops	60
Pavement Striping Tape	43
Posts:	
Anchor Spade	38
Flexible Marker	40
Impact Recovery	29-32
Jack Jaw	38
Kleen Break Assembly	38
Lap Splice	41
Portable	55

Posts Continued:

Round	39
Square	39
Surface Mount Anchors	39, 41
U-Channel	41
Sandbags	43

Signs:

ADA (Disabled)	29
Cone	48
Date Decals	58
Electric Vehicle (EV)	25
End of Road Chevron	44
Faces (Decals)	58
Guide	26-27
Information	24
LED-Solar	56
Object Marker	15
OSHA/Caution	24
Parking	20-23
Parking Lot "Info"	24
Post Reflectors	15
Railroad	9
Regulatory	1-8
Residential Address	33
Roll Up	52-54
School/Playground	18-19
Snow Route	21
Stop/Slow	66
Street Name	33
Trail	28
Vehicle Emblems	58
Warning	10-14
Water Advisement	25
Work Zone (Construction)	16-17

Sign Materials:

Barricade Sheeting	43
Reflective Sheeting	42
Truck/Trailer Tape	43
Sign Savers	15
Sign Stands	55
Snowplow Blades	71
Speed Bumps	60
Street Sweeper Brooms	63
Street Broom Head	59
Tire Chain	68-69
Traffic Cones	48, 66

Workwear:

Bomber Jacket	65
T-Shirts	64
Vests, Safety	64

CUSTOM SIGNS: Custom Layouts and Proofs
are subject to set up charges.

email: sales@nsco1.com

800-255-4369



Sizes
24 x 24
30 x 30
36 x 36
48 x 48


R1-1



Sizes
30 x 30 x 30
36 x 36 x 36
48 x 48 x 48

R1-2

*** Phantom Points** are the result of the aluminum blank being "cornered" then creating a radius corner.



36" Triangle



R1-3P
18 x 6



R1-5L
18 x 18
30 x 30



R1-5R
18 x 18
30 x 30



R1-5aL
18 x 24
30 x 42



R1-5aR
18 x 24
30 x 42



R3-1
24 x 24



R3-2
24 x 24



R3-4
24 x 24



R3-18
24 x 24



R3-27
24 x 24



R9-14
24 x 24



R3-1P
24 x 18



R3-2P
24 x 18



R3-4P
24 x 18



R3-18P
24 x 18



R1-6
12 x 36



R1-6a
12 x 36



R8-3
24 x 24



R9-3
24 x 24



R5-2
24 x 24



R5-6
24 x 24



R8-3P
24 x 18



R9-3aP
24 x 18




R5-2P
24 x 18



R5-6P
24 x 18



R1-2aP 24 x 18



R1-9 90 x 24



R1-9a 90 x 24



R1-10P 24 x 18



R1-51 30 x 18



NR2-1-BLANK 18 x 24 24 x 30



R2-1-5 18 x 24 24 x 30



R2-1-10 18 x 24 24 x 30



R2-1-15 18 x 24 24 x 30



R2-1-20 18 x 24 24 x 30



R2-1-25 18 x 24 24 x 30



R2-1-30 18 x 24 24 x 30



R2-1-35 18 x 24 24 x 30



R2-1-40 18 x 24 24 x 30



R2-1-45 18 x 24 24 x 30



R2-1-50 18 x 24 24 x 30



R2-1-55 18 x 24 24 x 30



R2-4P 18 x 24 24 x 30



R2-4a 24 x 48



NR2-5a 18 x 24 24 x 30



NR2-5c 18 x 24 24 x 30



R2-5P 24 x 18




R2-5aP 24 x 6




R2-5bP 24 x 6



R2-5cP 24 x 6



R2-6P 24 x 18



R2-6aP 24 x 18



R2-6bP 24 x 18



R2-10 24 x 30



R2-11 24 x 30



R3-1b 18 x 24



R3-2b 18 x 24



R3-3 24 x 24



R3-4b 18 x 24



R3-33 78 x 36



R3-5L 24 x 30
30 x 36



R3-5R 24 x 30
30 x 36



R3-5a 24 x 30
30 x 36



R3-5bP 30 x 12



R3-5cP 30 x 12



R3-5fP 30 x 12



R3-5gP 30 x 12



R3-6L 24 x 30
30 x 36



R3-6L2 24 x 30
30 x 36



R3-6R 24 x 30
30 x 36



R3-6R2 24 x 30
30 x 36



R3-7L 30 x 30



R3-7R 30 x 30



R3-8L 30 x 30



R3-8L1 30 x 30



R3-8R 30 x 30



R3-8R1 30 x 30




NR3-8L 30 x 30



NR3-8R 30 x 30



R3-8a 48 x 30
60 x 36



R3-8b 48 x 30
60 x 36



R3-9a 30 x 36



R3-9b 24 x 36



R3-9cP 30 x 12



R3-9dP 30 x 12



G-10 18 x 24





R3-20L 24 x 36



R3-20R 24 x 36



R4-1 18 x 24
24 x 30



R4-2 18 x 24
24 x 30



R4-3 18 x 24
24 x 30



R4-4 36 x 30



R4-5 24 x 30



R4-6 24 x 30



R4-7 18 x 24
24 x 30



R4-7P 24 x 18



R4-8 18 x 24
24 x 30



R4-8P 24 x 18



R4-7a 18 x 24
24 x 30



R4-7b 18 x 24
24 x 30



R4-7c 18 x 30



R4-8a 18 x 24
24 x 30



R4-8b 18 x 24
24 x 30



R4-8c 18 x 30



R4-9 18 x 24
24 x 30



R4-16 18 x 24
24 x 30



R4-17 18 x 24
24 x 30



R4-18 18 x 24
24 x 30



R5-1 30 x 30
36 x 36



R5-1a 30 x 18
36 x 24



R5-2 24 x 24



R5-3 24 x 24




R5-6 24 x 24



S7-2T 12 x 18
18 x 24



NSR5-2S 12 x 18
18 x 24



R5-2P 24 x 18



SR-32 18 x 12
24 x 18



R5-6P 18 x 12
24 x 18



S7-1T 24 x 18
36 x 18



SZ-9 12 x 18
18 x 24



R5-4 18 x 24
24 x 30



NR5-5b 24 x 24
30 x 30



R5-7a 30 x 24
42 x 24



R5-10a 18 x 24
24 x 30



R5-10b 30 x 18



R6-2 12 x 18
18 x 24



R6-2L 12 x 18
18 x 24



R6-2R 12 x 18
18 x 24



R6-2S 12 x 18
18 x 24

R6-1L
24 x 8
36 x 12



R6-1R
24 x 8
36 x 12



R5-11 24 x 18



R6-3 30 x 24



R6-3a 30 x 24



R6-4 30 x 24



R6-4a 48 x 24



R6-4b 60 x 24



R6-5P 30 x 30



R6-6 24 x 30



R6-7 24 x 30



R8-1 18 x 24
24 x 30



R8-2 18 x 24
24 x 30



R8-3 24 x 24



R8-3a 18 x 24
24 x 30



R8-3cP 24 x 18



R8-3dP 24 x 18



R8-3eP 24 x 18



R8-3fP 24 x 18



R8-3gP 24 x 18



R8-3hP 24 x 18



R8-4 30 x 24



R8-5 24 x 30



R8-6 24 x 30



R8-7 30 x 24



R8-10 24 x 36



RS7-3 12 x 18
18 x 24



RS7-3d 12 x 18
18 x 24



R9-1 18 x 24



R9-2 12 x 18



R9-3 18 x 18
24 x 24
30 x 30



R9-3a 12 x 18



R9-3aP 24 x 18




R9-3bL 18 x 12
R9-3bR 18 x 12



R9-4a 12 x 18
18 x 24



R9-8 36 x 18



R9-9 24 x 12
30 x 18



R10-1 12 x 18




R10-2 9 x 12



R10-3 9 x 12



R10-3a 9 x 15



R10-3b 9 x 12



R10-3c 9 x 12



R10-3d 9 x 12



R10-3e 9 x 15



R10-4 9 x 12



R10-4a 9 x 15



R10-4b 9 x 12



R10-5 18 x 24
24 x 30



R10-6 24 x 36



R10-6a 24 x 30



R10-7 18 x 24
24 x 30



R10-8 18 x 24
24 x 30



N14-7 18 x 24
24 x 30



R10-10L 18 x 24
24 x 30



R10-10R 18 x 24
24 x 30




R10-11 18 x 24
24 x 30



R10-11a 24 x 30
30 x 36



R10-11b 24 x 24
30 x 30
36 x 36



R10-11c 30 x 42



R10-11d 30 x 42



R10-12 24 x 30



R10-13 36 x 24
42 x 30



R10-14 36 x 42



R10-14a 60 x 24



R10-15 30 x 30



R10-16 24 x 30
30 x 36



R10-17a 30 x 36
36 x 48



R10-18 36 x 24



R10-21 24 x 30



R10-23 24 x 30



R10-25 9 x 12



R10-28 24 x 30




R11-1 24 x 30




R11-2 48 x 30



R11-2b 48 x 30




R11-3a 60 x 30



R11-3b 60 x 30





R11-4

60 x 30



R12-1
BLANK

18 x 24
24 x 30



R12-1

18 x 24
24 x 30



R12-2

24 x 30



R12-3

24 x 36



R12-5

24 x 36
30 x 42



R12-7

30 x 36




R12-7aP

30 x 30



R14-1

24 x 18



N14-1S

24 x 18



N14-1L

24 x 18



N14-1R

24 x 18



N14-2

18 x 24



N14-3

18 x 24



N14-4

18 x 24



N14-5S

18 x 24




N14-5L

18 x 24



N14-5R

18 x 24



N14-6

18 x 24



N14-7

18 x 24



N14-8

18 x 24



N14-8a

18 x 24




N14-9

18 x 24



N14-9b

18 x 24




WARNING SIGNS

National Sign Company




CHEVRON BRACKETS

Part No.	Description
CAB100	Length: 18"/Sign Size: 12"x18", 18"x24"
CAB200	Length: 24"/Sign Size: 18"x24", 24"x30"
CAB300	Length: 30"/Sign Size: 24"x30", 30"x36"



- Attaches to U-Channel and Square Posts
- Mounts 2 signs to post
- Adjustable sign angle after installation
- Hardware included



WARNING SIGNS

800-255-4369

W2-6 30 x 30 36 x 36 TRAFFIC CIRCLE W16-12P 24 x 18	W3-1 30 x 30 36 x 36 STOP AHEAD W3-1aP 24 x 18	W3-2 30 x 30 36 x 36 YIELD AHEAD W3-2aP 24 x 18	W3-3 30 x 30 36 x 36 SIGNAL AHEAD W3-3P 24 x 18	W6-1 30 x 30 36 x 36 DIVIDED HIGHWAY W6-1P 24 x 18	W6-2 30 x 30 36 x 36 DIVIDED HIGHWAY ENDS W6-2P 24 x 18
W6-3 30 x 30 36 x 36 TWO WAY TRAFFIC W6-3P 24 x 18	W7-1 30 x 30 36 x 36 USE LOW GEAR W7-2P 24 x 18	W8-5 30 x 30 36 x 36 WHEN WET W8-5P 24 x 18	W8-10 30 x 30 36 x 36 SLIPPERY WHEN WET W8-10P 24 x 18	W8-17 30 x 30 36 x 36 SHOULDER DROP-OFF W8-17P 24 x 18	W11-1 30 x 30 36 x 36 BIKE XING W11-1P 24 x 18
W11-2 30 x 30 36 x 36 PED XING W11-2P 24 x 18	W11-3 30 x 30 36 x 36 DEER XING W11-3P 24 x 18	W11-4 30 x 30 36 x 36 CATTLE XING W11-4P 24 x 18	W11-5 30 x 30 36 x 36 FARM MACHINERY W11-5P 24 x 18	W11-5a 30 x 30 36 x 36 TRACTOR XING W11-5Pa 24 x 18	W11-6 30 x 30 36 x 36 SNOWMOBILE CROSSING W11-6P 24 x 18
W11-7 30 x 30 36 x 36 EQUESTRIAN XING W11-7P 24 x 18	W11-8 30 x 30 36 x 36 FIRE STATION W11-8P 24 x 18	W11-9 30 x 30 36 x 36 HANDICAP XING W11-9P 24 x 18	W11-10 30 x 30 36 x 36 TRUCK XING W11-10P 24 x 18	W11-11 30 x 30 36 x 36 GOLF CART XING W11-11P 24 x 18	W11-14 30 x 30 36 x 36 NEXT 7 MILES W7-3aP 24 x 18

WARNING SIGNS

National Sign Company

W3-1a 30 x 30 36 x 36	W3-2a 30 x 30 36 x 36	W3-3a 30 x 30 36 x 36	W3-4 30 x 30 36 x 36	W3-5 30 x 30 36 x 36	W3-5a 30 x 30 36 x 36
					
W4-1L 30 x 30 36 x 36	W4-1R 30 x 30 36 x 36	W4-2L 30 x 30 36 x 36	W4-2R 30 x 30 36 x 36	W4-3L 30 x 30 36 x 36	W4-3R 30 x 30 36 x 36
					
W14-4 30 x 30 36 x 36	W4-4aP 24 x 12	W4-4bP 24 x 12	W4-5 30 x 30 36 x 36	W4-5P 18 x 24	
					
	W4-4cP 24 x 12	W4-4P 24 x 12			
					
W4-6 30 x 30 36 x 36	W4-7L 30 x 30 36 x 36	W4-7R 30 x 30 36 x 36	W5-1 30 x 30 36 x 36	W5-2 30 x 30 36 x 36	W5-2aP 24 x 18
					
W5-3 30 x 30 36 x 36	W5-4 30 x 30 36 x 36	W5-4a 30 x 30 36 x 36	W5-5 30 x 30 36 x 36	W6-1a 30 x 30 36 x 36	W6-2a 30 x 30 36 x 36
					
W5-7L 30 x 30 36 x 36	W5-7R 30 x 30 36 x 36	W7-1c 30 x 30 36 x 36	W7-5 30 x 30 36 x 36	W7-6 30 x 30 36 x 36	W8-1 30 x 30 36 x 36
					

W8-2 30 x 30
36 x 36



W8-3 30 x 30
36 x 36



W8-4 30 x 30
36 x 36



W8-6 30 x 30
36 x 36



W8-7 30 x 30
36 x 36



W8-8 30 x 30
36 x 36



W8-9 30 x 30
36 x 36



W8-9a 30 x 30
36 x 36



W8-11 30 x 30
36 x 36



W8-12 30 x 30
36 x 36



W8-13 30 x 30
36 x 36



W8-21 30 x 30
36 x 36



W8-22 30 x 30
36 x 36



W8-23 30 x 30
36 x 36



W8-24 30 x 30
36 x 36



W8-25 30 x 30
36 x 36



W9-1L 30 x 30
36 x 36



W9-1R 30 x 30
36 x 36



W9-2L 30 x 30
36 x 36



W9-2R 30 x 30
36 x 36



W11-15 30 x 30
36 x 36



W11-15a 30 x 30
36 x 36



W12-1 30 x 30
36 x 36



W12-2 30 x 30
36 x 36



W12-52 30 x 30
36 x 36



W12-2aP 24 x 18



W12-2a 78 x 24



W13-1P 18 x 18
24 x 24



W14-1aR 36 x 8



W14-1aL 36 x 8



W14-1 24 x 24
30 x 30
36 x 36



WARNING SIGNS

National Sign Company

W14-1b 30 x 30
36 x 36



W14-2 30 x 30
36 x 36



W14-2aR 36 x 8



W14-2aL 36 x 8



W14-3 40 x 30
48 x 36



W14-9 30 x 30
36 x 36



W16-1a 30 x 30
36 x 36




W16-1P 18 x 24



W16-2P 24 x 18



W16-2aP 24 x 12



W16-3aP 30 x 12



W16-4P 24 x 18
30 x 24



W16-9 30 x 30
36 x 36



W16-17P 24 x 12



W16-8P Var. x 8



W16-9P 24 x 12



W17-1 30 x 30
36 x 36



W18-1 30 x 30
36 x 36



W18-6a 30 x 30
36 x 36



W16-13P 24 x 18



W16-8aP Var. x 15



W8-19 12 x 72



W16-18P 24 x 12



W16-15P 24 x 12



W18-3 24 x 30



W18-2 30 x 30
36 x 36



W18-4 30 x 30
36 x 36



W16-5 30 x 30
36 x 36



W18-5 30 x 30
36 x 36



W18-6 30 x 30
36 x 36



W18-7 30 x 30
36 x 36



W18-8 30 x 30
36 x 36



W8-GE 30 x 30
36 x 36



W8-18 30 x 30
36 x 36



W18-9 30 x 30
36 x 36



W18-11 30 x 30
36 x 36



W18-12 30 x 30
36 x 36



W18-16 30 x 30
36 x 36



W18-18 30 x 30
36 x 36




W18-24 30 x 30
36 x 36




TYPE 1 OBJECT MARKERS - .080" Aluminum 9-SPOT

Specify Screen Printed **OR** Reflector Buttons

Yellow Sheeting Only



OM1-1
18 x 18



OM1-2
18 x 18



OM1-3
18 x 18

TYPE 3 OBJECT MARKERS

Striped Black / Yellow Retroreflective



OM3-6L
6 x 24
LEFT



OM3-10L
10 x 30
LEFT

OM3-12L
12 x 36
LEFT

OM3-C
12 x 36
CENTER
ONLY




OM3-6R
6 x 24
RIGHT

OM3-10R
10 x 30
RIGHT


OM3-12R
12 x 36
RIGHT

TYPE 2 OBJECT MARKERS

Vertical and Horizontal



OM2-1V
6 x 15



OM2-1H
15 x 6



OM2-2V
6 x 12



OM2-2H
12 x 6


TYPICAL END OF ROAD MARKER

Specify Screen Printed **OR** Reflector Buttons

Red Sheeting Only



OM4-1
18 x 18



OM4-2
18 x 18



OM4-3
18 x 18

POST REFLECTOR



Post Reflectors increase visibility for the driving public!

- 3M™ Reflective Sheeting
- 3" wide, .080" Aluminum
- 3 lengths: 48", 60", 72"

Colors:

Red, Yellow and
Fluorescent Yellow/Green

Sheeting:

High Intensity Prismatic (HIP)
Diamond Grade (DG³)

Posts: U-Channel, Square,
Wood, Round

ALUMINUM SIGN SAVER



Part No. SS-3A
Size: 3" x 3" Each

ROUND DELINEATOR BUTTONS

Plastic Back

Part No.	Description
DL-1 (Individually Packed)	3 1/4" Diameter

Colors: Red, Yellow or White



“TEMPORARY” ORANGE WORK ZONE SIGNS

W1-1L 30 x 30 36 x 36 48 x 48	W1-1R 30 x 30 36 x 36 48 x 48	W1-2L 30 x 30 36 x 36 48 x 48	W1-2R 30 x 30 36 x 36 48 x 48	W1-3L 30 x 30 36 x 36 48 x 48	W1-3R 30 x 30 36 x 36 48 x 48
W1-4L 30 x 30 36 x 36 48 x 48	W1-4R 30 x 30 36 x 36 48 x 48	W1-5L 30 x 30 36 x 36 48 x 48	W1-5R 30 x 30 36 x 36 48 x 48	W1-6 36 x 18 48 x 24	
				W1-7 	
W3-4 30 x 30 36 x 36 48 x 48	W3-5 30 x 30 36 x 36 48 x 48	W3-5a 30 x 30 36 x 36 48 x 48	W4-1L 30 x 30 36 x 36 48 x 48	W4-1R 30 x 30 36 x 36 48 x 48	W4-2L 30 x 30 36 x 36 48 x 48
W4-2R 30 x 30 36 x 36 48 x 48	W4-3L 30 x 30 36 x 36 48 x 48	W4-3R 30 x 30 36 x 36 48 x 48	W4-5 30 x 30 36 x 36 48 x 48	W4-7L 30 x 30 36 x 36 48 x 48	W4-7R 30 x 30 36 x 36 48 x 48
W6-1 30 x 30 36 x 36 48 x 48	W6-2 30 x 30 36 x 36 48 x 48	W6-3 30 x 30 36 x 36 48 x 48	W8-7 30 x 30 36 x 36 48 x 48	W8-8 30 x 30 36 x 36 48 x 48	W8-9 30 x 30 36 x 36 48 x 48
W8-9a 30 x 30 36 x 36 48 x 48	W8-11 30 x 30 36 x 36 48 x 48	W8-12 30 x 30 36 x 36 48 x 48	W9-3 30 x 30 36 x 36 48 x 48	W9-3L 30 x 30 36 x 36 48 x 48	W9-3R 30 x 30 36 x 36 48 x 48

"TEMPORARY" WORK ZONE SIGNS

800-255-4369




* Alternate Wording For Work Zone Signs *

A - AHEAD **C** - 1000 FT **E** - TAR **G** - STREET
B - 500 FT **D** - 1/2 MILE **F** - LEFT **H** - 1 MILE

Example: W20-1 insert (**G**) "STREET" for "ROAD"

Example: W21-2 insert (**E**) "TAR" for "OIL"

If you do not see the wording
you need, please contact
Customer Service



SCHOOL & PLAYGROUND SIGNS

National Sign Company



School Advance Crossing Assembly



AHEAD W16-9p
24 x 12
30 x 18

200 FT W16-2aP*
24 x 12
30 x 18

200 FEET W16-2P*
24 x 18
30 x 24

← W16-5pL
24 x 12
30 x 18

→ W16-5pR
24 x 12
30 x 18

↙ W16-6pL
24 x 12
30 x 18

↘ W16-6pR
24 x 12
30 x 18

SCHOOL S4-3p
12 x 4



R1-6b 12 x 36

School Crossing Assembly



← W16-7pL
24 x 12
30 x 18

SCHOOL S4-3p
24 x 8
36 x 12

SPEED LIMIT 20 R2-1-20
18 x 24
24 x 30

7:00 AM TO 8:30 AM S4-1**
24 x 10
36 x 18

**7:40 - 8:15 AM
3:45 - 4:15 PM** S4-1a**
24 x 10
36 x 18

WHEN CHILDREN ARE PRESENT S4-2
24 x 10
36 x 18

WHEN FLASHING S4-4
24 x 10
36 x 18

SCHOOL



R1-6c 12 x 36

School Zone Sign



ALL YEAR S4-7p
24 x 12
30 x 18

SCHOOL S4-3p
24 x 8
36 x 12

← W16-5pL
24 x 12
30 x 18

→ W16-5pR
24 x 12
30 x 18

↙ W16-6pL
24 x 12
30 x 18

↘ W16-6pR
24 x 12
30 x 18

* Specify number of feet required.
** Specify the "times" required.



R1-6 12 x 36

W11-1 30 x 30



W11-15 30 x 30



W15-1 30 x 30



W15-1p 24 x 18



NS5 24 x 48



NS5-1 24 x 48



NS5-2** 24 x 48

PARKING SIGNS

Sizes: 12" x 18" or 18" x 24"



R7-2



RS7-3



RS7-3d



RS7-3L



RS7-3R



RS7-6



RS7-4



R7-9a



RS7-11



RS7-11d



RS7-11L



RS7-11R



RS7-36



RS7-52


ADJUSTABLE BRACKETS



AB-10
Fits poles 4"-12" diameter
Length 47"
2 Brackets, 2 Straps
Hardware Included



RS7-53



RS7-2



RS7-6a



RS7-7a



R7-1



R7-1L



R7-1R



R7-1d



R7-2a



R7-3



R7-4



R7-6



R7-7



R7-9b



R7-34



R7-34L



R7-34R



R7-36



R7-37



R7-39



R7-39b



R7-40



R7-41



R7-42



NS7-43

PARKING SIGNS

Sizes: 12" x 18" or 18" x 24"



R8-3a



R8-3L



R8-3R



R8-3d



SR-2




SR-3



SR-4



R8-3
12 x 12
18 x 18
24 x 24



R7-2P



R7-201a



R7-201



R7-1P



R7-3P



R7-4P



R7-6P



R7-7P



R7-9P



R7-11P



R7-44



R7-45



R7-46



R7-47



R7-48



R7-49



R7-51



R7-52



R7-53



R7-60



R7-64



R7-65



R7-66



R7-68



R7-69



R7-70



R7-74



R7-76



R7-107



R7-200 24 x 18



R7-203



R7-250



R7-252



R7-253



R7-329



R7-331



R7-332

PARKING SIGNS

Sizes: 12" x 18" or 18" x 24"



R7-55



R7-10



R7-9



R7-360



HA-1



R7-12



R7-36a



R7-14



R7-15



R7-16



R7-17



R7-18



R7-19



R7-20



R7-24



R7-25



R7-26a



R7-13



R7-21



R7-23



R7-22



NS-180



NS-182



NS-183



NS-184



NS-185



NS-186



NS-148



R7-559



R-70



R-160



R-384



NS-148a



NS-171



NS-217



R-60



R-97



R-188



R-389



R-421



R-464



NS-77

PARKING SIGNS

Sizes: 12" x 18" or 18" x 24"



NS-170



NS-133



D4-3D



NS-VET



NS-127



NS-135



R7-5




NS-172



NS-173



NS-175



NS-176



NS-177



NS-428



NS-440



NS-143



NS-146



NS-85



NS-151



NS-11



NS-11L



NS-11R



NS-152



NS-154



NS-156



NS-162



NS-164



NS-58



NS-129



NS-376



NS-68



NS-51



NS-396



NS-409



NS-510



NS-410



NS-413



NS-415



NS-417



NS-444



NS-52




NS-494L



NS-494

“INFORMATION” SIGNS

OSHA - SIGNAGE



OSHA - SIGNAGE

ALERT • NOTIFY • ADVISE

Many Standard Messages Available - Please Advise Your Message



All OSHA Signage Signs Are .040 Aluminum



WW-22

24 x 12



WW-24



WW-26

18 x 12



WW-27

24 x 12



WW-29

24 x 10



WW-31

42 x 18




WW-33

30 x 24



WW-34

24 x 18



WW-35

36 x 24



WW-36

36 x 24



WW-38

36 x 24



WW-18

9 x 6



WW-19

9 x 6



WW-20

9 x 6



WW-13

6 x 9



WW-14

6 x 9



WW-15

6 x 9



WW-16

6 x 9



SW-10

6 x 9



SW-11

9 x 6

ELECTRIC VEHICLE SIGNS

Size: 12" x 18" or 18" x 24"



R7-111



R7-111a



R7-112



R7-112a



R7-113



R7-114



R7-114a



EV21-02



EV21-03



EV21-04



EV21-05



EV21-06



D1-1 VARIABLE LENGTH x 18



D1-3 VARIABLE LENGTH x 42

Fredonia 10
Iola 17
Humboldt 35

D2-3 VARIABLE LENGTH x 42



D4-2 24 x 30



D6-4 24 x 24



D1-1b VARIABLE LENGTH x 9



D2-1 VARIABLE LENGTH x 18



D3-1 VARIABLE LENGTH x 8



D3-1a VARIABLE LENGTH x 8



D1-2 VARIABLE LENGTH x 30



D2-2 VARIABLE LENGTH x 30



D4-1 30 x 24



D7-1 VARIABLE LENGTH x 42



D7-2 VARIABLE LENGTH x 30



D9-2 24 x 24



D9-3 24 x 24



D9-3a 24 x 24



D9-4 24 x 30



D9-6 24 x 24



D9-7 24 x 24



D9-8 24 x 24



D9-9 24 x 24



D9-10 24 x 24



D9-12 24 x 24



D9-13 24 x 24



D9-14 24 x 24



I-5 24 x 24



I-6 24 x 24



I-7 24 x 24



I-8 24 x 24



I-11 30 x 48



I-12 24 x 24



I-5P 24 x 6



D9-2a 24 x 6




D9-4a 24 x 6



I-8P 24 x 6




NS-83 24 x 6



*Also Available with Blue Background and White Arrows.

ROUTE MARKERS*



*Also Available with Blue Background and White Letters.





R1-1 18 x 18
24 x 24



R3-17 30 x 24



R9-3c
12 x 12



R5-3 24 x 24
30 x 30



R4-4 36 x 30



R9-3 18 x 18



R3-17a 30 x 12



R3-17b 30 x 12



R1-2 24 x 24 x 24
30 x 30 x 30



R4-1
12 x 18



R4-2
12 x 18



R4-3
12 x 18



R4-7
12 x 18



R10-22
12 x 18



R10-3
9 x 12



R5-6 24 x 24



R7-9
12 x 18



R7-9a
12 x 18



R9-5
12 x 18



R9-6
12 x 18



R9-7
12 x 18



M1-8
12 x 18



R5-1b
12 x 18



D4-3L
12 x 18



AT217

36 x 36



W1-1 18 x 18



W1-2 18 x 18



W1-3 18 x 18



W1-4 18 x 18



W1-5 18 x 18



W1-6 24 x 12



W1-7 24 x 12



W2-1 18 x 18



W2-2 18 x 18



W2-3 18 x 18



W2-4 18 x 18



W2-5 18 x 18



W3-1 18 x 18



W3-2 18 x 18



W3-3 18 x 18



W5-2 18 x 18



W5-4a 18 x 18



W7-5 18 x 18



W8-1 18 x 18



W8-2 18 x 18



W10-1 36" Dia



W12-2 18 x 18



W8-10 18 x 18



W11-1 18 x 18



W16-1P
18 x 24



W8-10a
12 x 9



W16-7P
12 x 6



D11-1
24 x 18



M7-1 12 x 9



M7-2 12 x 9



M7-3 12 x 9



M7-4 12 x 9



M7-5 12 x 9



M7-6 12 x 9



M7-7 12 x 9

"IMPACTABLE" ALUMINUM SIGN POST

800-255-4369

STA-RITE ALUMINUM SIGN POST with Protective Bollard (STRB) This highly durable, yet lightweight sign post is constructed of a white 2" powder coated aluminum post that prevents warping and remains straight even in harsh summer and winter conditions. It is easy to install and utilizes patented, anti-twist, reactive-spring assembly for optimal strength and performance. The outer yellow bollard constructed of durable plastic, which simulates a concrete barrier, supplies additional protection in order to prevent any damage to the post. Supports signs up to 12" x 18". Two universal sign brackets, sign bracket hardware and black plastic post cap included.

Illustrated with "ENHANCED" Yellow Bollard

Part #78-STRB: 78" Post - 42" Enhanced Yellow Bollard

Part #102-STRB: 102" Post - 48" Enhanced Yellow Bollard

Sign Panel: Plastic, 12" x 18", Reflective

Mounting Base Options:

BS-SMFB: Flat Base, Fixed, Surface Mount

BS-DR00: Driveable Base, 2" x 18" square, 12 gauge post

The 78" post is designed to place a handicap sign 60" above the surface, per ADA Specifications. The 102" post is MUTCD compliant for pedestrian travel zones - placing the bottom of a 12" x 18" sign 84" above the surface.



DISABLED-ADA SIGNS



R7-8 12 x 18
18 x 24



R7-8L 12 x 18
18 x 24



R7-8d 12 x 18
18 x 24



R7-8R 12 x 18
18 x 24



R7-79 12 x 18
18 x 24



R7-83 12 x 18
18 x 24



R7-87 12 x 18
18 x 24



R9-42 12 x 18
18 x 24



R9-6a 12 x 18
18 x 24



R9-6b 12 x 18
18 x 24



R9-07 12 x 18
18 x 24



R9-01 12 x 18
18 x 24



R9-25 12 x 18
18 x 24



R9-9R 12 x 18
18 x 24



R9-23 12 x 18
18 x 24



R9-28L 12 x 18
18 x 24



R9-30L 12 x 18
18 x 24



R9-30R 12 x 18
18 x 24



R9-36
12 x 12



R9-37
12 x 12



R7-8b 12 x 6
18 x 6



R7-8c 12 x 6
18 x 6



R9-014b 12 x 6
18 x 6



R9-022 12 x 6
18 x 6



R9-022g 12 x 6
18 x 6



R9-014g 12 x 6
18 x 6

Our MP Flex Post is a durable, high-performance flexible polyethylene delineator and channelization post. The MP2 is ideal for exit lane delineation, marking changes in road alignment, centerline traffic separation.

MP Flex Post - Short Squeeze (2") Part# MP2-SS

Post top is thermoformed flat to seal the top.

Product Specifications	
Diameter	2.375" Overall
Height: 3 options	36" 42" 48"
Material	Flexible plastic
Color	White, yellow, orange
Included Sheeting	Two 3" bands
Reflective Sheeting	Type VIII
Reflective Sheeting Color	White
Spring Type	Fixed, Quick Release



MP Flex Post - Long Squeeze (14") Part# MP2-LS

Post top is thermoformed flat, providing a large panel for reflective sheeting.

Product Specifications	
Diameter	2.375" Overall
Height: 3 options	36" 42" 48"
Material	Flexible plastic
Color	White, yellow, orange
Included Sheeting	Single 3" x 12" reflective sheet (double-sided available)
Reflective Sheeting	Type VIII
Reflective Sheeting Color	White
Spring Type	Fixed, Quick Release



MP Flex Post - Open Top Part# MP2-OT

Post features a smooth cut, open top finish.

Product Specifications	
Diameter	2.375" Overall
Height: 3 options	36" 42" 48"
Material	Flexible plastic
Color	White, yellow, orange
Included Sheeting	Two 3" bands
Reflective Sheeting	Type VIII
Reflective Sheeting Color	White
Spring Type	Fixed, Quick Release



Sergeant Stripe Panel Marker - 12" x 36"

Ideal for island and in front of end treatments and other hazards.


Product Specifications	
Directional Panel	Yellow and Black - 6" Sergeant Stripe Pattern
Dimensions	12" x 36"
Post	28" White plastic post with cap - 2.375"
Panel Material	White polyethylene plastic
Reflective Sheeting	12" x 24" Type IV
Spring Type Base	Fixed, Driveable



Median Chevron Panel - 18" x 36"

Ideal for use in delineating sharp changes in road alignment and obstructions in roadway. Designed for use on concrete median barriers.


Product Specifications		
Directional Panel	Left	Right
Dimensions	18" x 36"	
Post	28" White plastic post with cap - 2.375"	
Panel Material	White polyethylene plastic	
Reflective Sheeting	18" x 24" Type IV	
Spring Type Base	Fixed, Driveable	



Object Marker - 12" x 18"


K-Markers are Type II markers used to mark obstructions within, or adjacent to, a roadway. They are ideal for use on medians, raised curbs and island ends.

Product Specifications		
Marker Type	Three Sheeting Squares	Single Reflective Sheet
Reflective Sheeting Pattern	3" x 3" squares	12" x 6" sheet
Dimensions	12" x 18"	
Post	14" White post with cap - 2.375"	
Target Plate	12" x 16" Tapered - white polyethylene plastic	
Reflective Sheeting	Type IV	
Spring Type Base	Fixed, Driveable	



Hazard Marker - 12" x 36"

Product Specifications		
Directional Panel	Left	Right
Dimensions	12" x 36"	
Post	28" White plastic post with cap - 2.375"	
Panel Material	White polyethylene plastic	
Reflective Sheeting	12" x 24" Type IV with 4" black stripes	
Spring Type Base	Fixed, Driveable	



IN-STREET PEDESTRIAN CROSSWALK SIGNS

Highly Visible, **Rebounding** Crosswalk Identification Signs

Pedestrian Crosswalk Signs are helpful in alerting distracted drivers of pedestrian crossing zones, providing enhanced conspicuity at non-signalized intersections and mid-street crossings in order to alert motorists.

In-Street Pedestrian Crosswalk Sign (Standard)

12"x 47" overall height

In-Street Pedestrian Crosswalk Sign (School)



(Illustrated with Base)

Standard Pedestrian (Base Sold Separately)			
A	PED2-0YFF	Yield	Fixed Base
	PED2-0YFQ	Yield	Quick Release Base
B	PED2-0SFF	Stop	Fixed Base
	PED2-0SFQ	Stop	Quick Release Base

School Pedestrian (Base Sold Separately)			
C	PED2-SYFF	Yield	Fixed Base
	PED2-SYFQ	Yield	Quick Release Base
D	PED2-SSFF	Stop	Fixed Base
	PED2-SSFQ	Stop	Quick Release Base

Base Options	
BS-SMFB	Fixed, Black Color
BS-SMQB	Quick Release, Black Color
IM-ANCHOR KIT	4 Bolts, 4 Anchors Sleeves
BS-DR00	Driveable



(Illustrated without Base)

The Fixed Base is a surface mount base designed for permanent applications that secure the upright with bolts.



The "Quick Release" Base is also a surface mount base with unique Quick Release feature providing for the ability to change out or remove the upright.



Reactive Spring System

This unique, compression spring assembly offers the strength to support a flexible post and an information panel as well. This reactive spring is designed to consistently return the post and panel to its original position after impact, time and time again.

Anti-twist

The exclusive spring system provides an "anti-twist" feature designed to re-orient the panel toward traffic after impact.

Quick Release (pull-pin release)

Change out or remove uprights in less than five seconds without the use of tools or special equipment.

To remove the upright simply pull the keeper pin, rotate the assembly 15° and lift.





Style A

- 6" Tall Blade
- 4" Upper Case Letters
- 2" Prefix/Suffix

- 9" Tall Blade
- 6" Upper Case Letters
- 3" Prefix/Suffix



Style C

- 6" Tall Blade
- 4" Upper Case Letters

- 9" Tall Blade
- 6" Upper Case Letters



Style D

- 6" Tall Blade
- 4" Upper/Lower Case Letters

- 9" Tall Blade
- 6" Upper/Lower Case Letters



Style E

Flat Blades Only

- "Embossed Look-A-Like"
- 6" Tall Blade with Border
- 4" Upper/Lower Case Letters
- 2" Prefix/Suffix

- "Embossed Look-A-Like"
- 9" Tall Blade with Border
- 6" Upper/Lower Case Letters
- 3" Prefix/Suffix



Style SQ

- **Single Faced**
- **Flat Blades Only**
- Edge Border
- 4 Hole Punch

- 6" Tall Blade with Border
- 4" Upper/Lower Case Letters
- 2" Prefix/Suffix

- 9" Tall Blade with Border
- 6" Upper/Lower Case Letters
- 3" Prefix/Suffix

Blade Height

- ☐ 6" Blade ☐ 9" Blade

Blade Style

- ☐ Flat .080" Aluminum
☐ Extruded

Sign Colors

(Letters/Background)

- White/Green
- White/Blue
- White/Brown
- Black/White

Reflective Sheeting

- 3M High Intensity
- Prismatic (HIP)

Letter Style

- A
- C
- D
- E
- SQ

Residential 911 Address Signs

Single Faced (SF) or Double Faced (DF)



- 3, 4 or 5 Numeral Design
- (2) End Mounting Holes
- 6" Blade Height
- Single Faced or Double Faced




CANTILEVER ARM BRACKETS




KC250

13 7/8" Arm Length
Utilizes 2 3/8" Caps
Die Cast Aluminum 1.75 lbs. Each



KC500

20 5/8" Arm Length
Utilizes 2 3/8" Caps
Die Cast Aluminum 5 lbs. Each



10-10L30 - 30" Length
- Plates 36" - 48" Length



10-10L24 - 24" Length
- Plates 24" - 36" Length



10-10M - 16 1/2" Length
- Plates 18" - 24" Length

*Compatible with Flat or Extruded Plates

ADJUSTABLE BRACKETS



AB-10

Fits poles 4"-12" diameter
Length 47"
2 Brackets, 2 Straps
Hardware Included

WING BRACKETS - FLAT OR CURVED

- Flat Back
- Fits Sign Size 18" - 30"
- Includes 5/16" Set Screws



312 - 3.5" Blade Holder Length

- Curved Back
- Fits Sign Size 18" - 30"
- Includes 5/16" Set Screws



412 - 4.5" Blade Holder Length

2 3/8" ROUND POST MOUNTING BRACKETS



13-C Sign Brackets
(2/Package)
Includes Hardware
Mounts One Sign



28C-S Single Sign Brackets
(2/Package)
Mounts One Sign



28C-D Double Sign Brackets
(2/Package)
Mounts Two Signs Back to Back



ROUND POST CAP
2 3/8" O.D. Round Post Cap
5.5" Slot (See Next Page)
808FRC - Flat
808XRC - Extruded

SERIES 812

(12" BLADE HOLDER)



ROUND POST CAP
2 3/8" O.D. Round Post Cap
812FRC - Flat
812XRC - Extruded



90° CROSSPIECE
812F-90 - Flat
812X-90 - Extruded



U-CHANNEL POST CAP
(180° Pictured Above)
812UCF-180 - Flat 180°
812UCX-180 - Extruded 180°
812UCF-90 - Flat 90°
812UCX-90 - Extruded 90°



SQUARE POST CAP
1 3/4" Square Posts
134SQF12 - Flat
134SQX12 - Extruded
2" Square Posts
2SQF12 - Flat
2SQX12 - Extruded

SERIES 808

(5 1/2" BLADE HOLDER)



ROUND POST CAP
2 3/8" O.D. Round Post Cap
808FRC - Flat
808XRC - Extruded



90° CROSSPIECE
808F-90 - Flat
808X-90 - Extruded



U-CHANNEL POST CAP
(Bolts Perpendicular to Blade)
808UCF-180 - Flat 180°
808UCX-180 - Extruded 180°



U-CHANNEL POST CAP
(Bolts Parallel to Blade)
808UCF-90 - Flat 90°
808UCX-90 - Extruded 90°

SERIES 850

SQUARE POST BRACKET

(5 1/2" BLADE HOLDER)

(Specify 1 3/4" or 2" Square Post)

Part Number	Design
850-134F	Flat Blade, 1 3/4" Square Posts
850-134X	Extruded Blade, 1 3/4" Square Posts

850-200F	Flat Blade, 2" Square Posts
850-200X	Extruded Blade, 2" Square Posts

808F-90	Flat Blade, 90° Crosspiece
808X-90	Extruded Blade, 90° Crosspiece

Flat or Extruded Blade



5/16" Set Screw





Part No. SS-516
100/carton


Adjustable
Crosspiece




Part No.
457F - Flat
457X - Extruded

(5 1/2" BLADE HOLDER)

Vertical  Rectangle	RECTANGLES		 Square	DIAMOND/SQUARE		 Diamond
	Vertical	Horizontal				
	6 x 12	12 x 6		12 x 12	18 x 18	
	8 x 24	12 x 9		24 x 24	30 x 30	
	9 x 12	18 x 12		36 x 36	48 x 48	
	12 x 18	21 x 15		OCTAGON		
	12 x 24	24 x 10		24 x 24	30 x 30	
	12 x 30	24 x 12		36 x 36	48 x 48	
	12 x 36	24 x 18		PENTAGON / CIRCLE		
	18 x 24	30 x 15		30 x 30	36 x 36	
Horizontal  Rectangle	18 x 30	30 x 18	48 x 48	TRIANGLE		
	24 x 30	30 x 24		30 x 30 x 30	36 x 36 x 36	
	24 x 36	36 x 12		PENNANT		
	24 x 48	36 x 24		30 x 40 x 40 NPZ	36 x 48 x 48 NPZ	
	30 x 36	36 x 30				
	30 x 42	48 x 18				
	36 x 48	48 x 24				
		48 x 30				
		48 x 36				
		60 x 24				
	60 x 30					
	60 x 36					



* **Phantom Points** are the result of the aluminum blank being "cornered" then creating a radius corner.



ALUMINUM STREET NAME BLANKS

EXTRUDED ALUMINUM

EX-6	EX-9
6 x 18	9 x 18
6 x 24	9 x 24
6 x 30	9 x 30
6 x 36	9 x 36
6 x 42	9 x 42
6 x 48	9 x 48



SQUARE POST MOUNT .080" FLAT ALUMINUM

- Single Faced
- 4 Holes inset 1/2" from edges
- 1" Radius Corners
- Flat Blade Only



FLAT ALUMINUM .080"

FL-6	FL-9
6 x 18	9 x 18
6 x 24	9 x 24
6 x 30	9 x 30
6 x 36	9 x 36
6 x 42	9 x 42
6 x 48	9 x 48



Aluminum Street Name Blanks are available with or without reflective sheeting applied.

3/8" Drive Rivet
with Washer



Part No. TL3806
100/carton

PVC Spacer



Part No. PVCSP150
1/2"x 1 1/2" PVC Spacer
Part No. PVCSP175
1/2"x 1 3/4" PVC Spacer

3/8" Nylon Washer



Part No. NW38
100/carton



Aluminum Rivets

2 Piece Design 100/carton

Part No. 26 Grip Range 1 3/8" to 1 5/8"

Part No. 30 Grip Range 1 5/8" to 1 7/8"

Part No. 34 Grip Range 1 7/8" to 2 1/8"



Part No. TN-31
5/16" Security Nut
100/carton




Part No. VNA-31
5/16" Break-A-Way Nut
Aluminum 100/carton

CB-25
100/carton



HHB-25
100/carton



Part No. HN-516
5/16" Hex Nut
100/carton



Part No. FG-516
5/16" Flange Nut
Serrated Edge for
Better Grip
100/carton

STAINLESS STEEL STRAPPING

Totes

Part No.	Width Inches
C204B9	1/2"
C205B9	5/8"
C206B9	3/4"
100 Ft Per Tote	



Box

Part No.	Width Inches
C204CB	1/2"
C205CB	5/8"
C206CB	3/4"
100 Ft Per Box	



100/carton

Flared Leg Brack-It

D021	Stainless Steel with SS Bolt and Washer
D022	Stainless Steel without SS Bolt and Washer

**Ear-Lokt
Buckle**
Stainless Steel

C254	1/2"
C255	5/8"
C256	3/4"

100/carton



Strapper Tool - C001



KLEEN BREAK MODEL 425 SIGN POST COUPLER



CONCRETE INSTALL

XKB42520-G

Kleen Break Assembly
for 1 3/4" or 2" square post.
8" long anchor.
12.63 lbs. per Assembly




SURFACE MOUNT

XKB42520-G

Kleen Break Assembly
for 1 3/4" or 2" square post.
13 lbs. per Assembly

The "Kleen Break" system is available with Surface Mount or Concrete/Ground Installation Mount. The "Kleen Break" system provides for flush mounting so that after an impact, the bottom portion will remain flush with the surface.

- Accepts 1 3/4" and 2" square posts
- All components are reusable with the exception of the shear bolt, which must be replaced after each impact.



SHEAR BOLT

SBH5840-Z

5/8" - 11 x 4"

Model 425

Hardware Included



SQUARE POST STEEL ANCHOR SPADE

"STOP THE WOBBLE"

12SP14

12" x 6"

(2) 3/8" Holes

"Bolt On Design"



JACKJAW POST EXTRACTOR




Square Post Model # JJ0504
Round Post Model # JJ0505
U-Channel Post Model # JJ0500

SQUARE POSTS

800-255-4369

Part No. NS134SQ
1 3/4" Square Post Anchor



Part No. NS200SQ
2" Square Post Anchor



1 3/4" Uprights

Part No.	Size	Gauge
SQ175-08-14	1 3/4"x 1 3/4"x 8 ft	14 gauge
SQ175-10-14	1 3/4"x 1 3/4"x 10 ft	14 gauge
SQ175-12-14	1 3/4"x 1 3/4"x 12 ft	14 gauge
SQ175-14-14	1 3/4"x 1 3/4"x 14 ft	14 gauge

2" Uprights

Part No.	Size	Gauge
SQ220-08-14	2"x 2"x 8 ft	14 gauge
SQ220-10-14	2"x 2"x 10 ft	14 gauge
SQ220-12-14	2"x 2"x 12 ft	14 gauge
SQ220-14-14	2"x 2"x 14 ft	14 gauge

2" x 2" Anchors

Part No.	Size	Gauge
SQ220-3-12	2"x 2"x 3 ft	12 gauge
SQ220-4-12	2"x 2"x 4 ft	12 gauge

2 1/4" x 2 1/4" Anchors

Part No.	Size	Gauge
SQ225-3-12	2 1/4"x 2 1/4"x 3 ft	12 gauge
SQ225-4-12	2 1/4"x 2 1/4"x 4 ft	12 gauge

Sleeves

Part No.	Size	Gauge
SQ225-1.5-12	2 1/4"x 2 1/4"x 18"	12 gauge
SQ250-1.5-12	2 1/2"x 2 1/2"x 18"	12 gauge

FLANGE NUT



Part No. FG-516
5/16" Flange Nut
Serrated Edge for
Better Grip - 100/carton

5/16" CORNER BOLTS



100/carton (Nuts Sold Separately)
CB516SE **Small** Bolt through 2" Square Posts
CB516ME **Medium** Bolt through 2 1/2" Square Posts
CB516LE **Large** Bolt through 3" Square Posts

SQUARE POST DRIVE CAP



Part No.
DC175200M - 2" Post
DC200225M - 2 1/4" Post

Round Posts - Galvanized



Part No.	Length
RD6-8	8 ft
RD6-10	10 ft
RD6-12	12 ft

Outside Diameter: 2 3/8" - Galvanized

Round Post Anchor



Part No. SB238RP
(2 3/8" Round Posts only)

FIBERGLASS MARKER POST

Specify: Single Face (SF), Double Face (DF) or "No" (BARE) Decals when ordering posts.

Part No.	Post Color	Length	Quantity
FT-62-00	White	62"	20/Box
FT-62-02	Yellow	62"	20/Box
FT-66-00	White	66"	20/Box
FT-66-02	Yellow	66"	20/Box
FT-72-00	White	72"	20/Box
FT-72-02	Yellow	72"	20/Box
FT-78-00	White	78"	20/Box
FT-78-02	Yellow	78"	20/Box
FT-84-00	White	84"	20/Box
FT-84-02	Yellow	84"	20/Box

Illustrated with
3" x 12" Decals
3M HIP Yellow
on White Post



Illustrated with
3" x 12" Decals
3M HIP Yellow
on Yellow Post




One Color Decals White (W) or Yellow (Y)

High Intensity Prismatic (HIP)	3" x 12"	3" x 24"
-----------------------------------	----------	----------

Marker Post Width

Illustrated with
3" x 24"
OM3-3L Decals
Black Print
3M HIP Yellow



Illustrated with
3" x 24"
OM3-3R Decals
Black Print
3M HIP Yellow

PRINTED OBJECT MARKER - BLACK & YELLOW STRIPES 3M HIGH INTENSITY PRISMATIC SHEETING

- Identify culverts, bridges and washout areas
- Long term, outdoor durability
- Thicker middle cross sectional design
- Reinforcing support ribs to provide sheeting protection and structural rigidity
- Pointed bottom end for ease of ground penetration

Standard Post



GMD400

Pilot Hole
Driver



PHD100

The marker posts are fiberglass reinforced composite. The I-Beam design with a thicker middle section allows for easier installation into hard soil surfaces. The recessed area is ideal for decal application on both sides. Decals are optional and can be applied before shipping.

**Apply decals in your shop
with 3M sheeting!**

3930 HIP White 3" x 50 yd
3931 HIP Yellow 3" x 50 yd



U-CHANNEL POSTS



Specify Powder Coating

All RIB-BAK® U-Channel posts are protected with Nucor's exclusive Powder-Shell™ powder coating - superior to paint in coverage, durability, consistency and rust resistance.

LAP-SPLICE™



The LAP-SPLICE system securely nests RIB-BAK® U-Channel posts together, forming a union as strong as the posts themselves.

LAP-SPLICE

The most popular 360° breakaway U-Channel system.



The economy of the LAP-SPLICE system is by design. Two special bolts and a bar spacer (with threaded holes) are needed to join the top post to the base post. Grade 8 Hardware Included.



Splice Bar Assembly

Part No.	Post Weight	Bar Color	Bar Size
SBA-2	2 lb and 2.5 lb	Silver	3/8" x 3/4" x 5"
SBA-4	3 lb and 4 lb	Gold	1/2" x 3/4" x 5"


U-Channel Post Anchor



Part No. NS-UCHA

- Base Plate: 10" x 10" 1/4"
- 6" U-Channel Sleeve
- Galvanized
- Easy to install
- Secure with Anchor Bolts

RIB-BAK®



**GREEN
POWDER-SHELL™**

Green U-Channel Posts

Part No.	Length	Weight/Foot
GR60-2	6 ft	2 lbs
GR80-2	8 ft	2 lbs
GR10-2	10 ft	2 lbs
GR12-2	12 ft	2 lbs
GR10-3	10 ft	3 lbs
GR12-3	12 ft	3 lbs

Galvanized U-Channel Posts

Hot-dipped galvanized (ASTM A123)

Part No.	Length	Weight/Foot
Z80-2	8 ft	2 lbs
Z10-2	10 ft	2 lbs
Z12-2	12 ft	2 lbs
Z12-3	12 ft	3 lbs



Green Delineator Posts

Part No.	Length	Weight/Foot
DP-6	6 ft	1.12 lbs
DP-7	7 ft	1.12 lbs
DP-8	8 ft	1.12 lbs

Galvanized Delineator Posts

Part No.	Length	Weight/Foot
ZP-6	6 ft	1.12 lbs
ZP-7	7 ft	1.12 lbs
ZP-8	8 ft	1.12 lbs

REFLECTIVE SHEETING


HIGH INTENSITY PRISMATIC SHEETING (HIP)



Meets all requirements for ASTM Type IV specifications.

High Intensity Prismatic	Roll Sizes	Roll Colors
Series 3930	3" x 50 yds 6" x 50 yds 9" x 50 yds 12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (3930) Yellow (3931) Red (3932) Blue (3935) Green (3937) Orange (3934) Not Available in All Sizes

DIAMOND GRADE™ SHEETING 3M



Meets all requirements for ASTM Type XI specifications. *

Diamond Grade™ Sheeting	Roll Sizes	Roll Colors
DG ³ Series 4000 *	12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (4090) Yellow (4091) Red (4092) Blue (4095) Green (4097)
DG ³ Fluorescent Colors *	12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Fluorescent Yellow (4081) (Warning) Fluorescent Yellow/Green (4083) (School) Fluorescent Orange (4084)
DG VIP Series 3990	3" x 50 yds 6" x 50 yds 9" x 50 yds 12" x 50 yds 18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (3990) Yellow (3991) Red (3992) Blue (3995) Green (3997)
DG-WZ (FLO) Series 3924S	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Fluorescent Orange (3924S) (Work Zone)

ENGINEER GRADE PRISMATIC SHEETING (EGP) 3M



Meets all requirements for ASTM Type I specifications.

Engineer Grade Sheeting	Roll Sizes	Roll Colors
Prismatic (EGP) 3430	18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	White (3430) Yellow (3431) Red (3432) Blue (3435) Green (3437)


ELECTROCUT FILM (E.C. Film) 3M



ElectroCut Film	Roll Sizes	Roll Colors
Series 1170	18" x 50 yds 24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	Yellow (1171) Red (1172) Orange (1174) Blue (1175) Green (1177) Black (1178) Brown (1179)

Series 1170 is a durable, transparent acrylic color film allowing traffic signs to be made on a computer plotter while maintaining the sheeting warranty.

SERIES 1160i OVERLAY FILM



The protective overlay film is a barrier to staining by many graffiti agents, including spray paint, permanent markers, lipstick, etc.

Roll Sizes
24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds

TRANSFER TAPE (TPM-5)

Used to transfer pre-positioned legends and copy. After copy has been "weeded" to leave legend, apply tape and move to the location needed. Minimum Rolls per size may apply.

Roll Sizes	100 yards / rolls
6" x 100 yds 9" x 100 yds 12" x 100 yds 18" x 100 yds 24" x 100 yds 30" x 100 yds 36" x 100 yds 48" x 100 yds	


3M Flexible High Intensity Prismatic Reflective Barricade Sheeting

Series 3334/3336 Prestriped Orange and White

Flexible Prismatic Sheeting Series 3300 consists of impact resistant prismatic lens reflective sheeting precoated with pressure sensitive adhesive. Withstands the rigors of work zone environments, such as impacts, scratching, gouging as well as rough handling during transport and storage.



Part Number	Roll Width x 50 yds.	Stripe Width	Slant of Stripe
3334L	6", 7 3/4" or 12"	4"	Left
3334R	6", 7 3/4" or 12"	4"	Right
3336L	6", 7 3/4" or 12"	6"	Left
3336R	6", 7 3/4" or 12"	6"	Right




3M Flexible High Intensity Prismatic Reflective Barricade Sheeting

Series 3326 Prestriped RED & WHITE

Exceeds ASTM D4956 Spec Type III and IV.

Part Number	Roll Width x 50 yds.	Stripe Width	Slant of Stripe
3326L	7 3/4"	6"	Left
3326R	7 3/4"	6"	Right



TRUCK & TRAILER TAPE

Part No. 913-32 Prismatic Reflective

- Roll Size 150 feet x 2"
- Alternating Stripe: 11" Red / 7" White
- One Roll per Carton

Highly reflective microprismatic lens sheeting; pressure sensitive adhesive.

Right striped barricades are placed on the right side of the road and are designed to move traffic to the left of the barricade. Left striped barricades are placed on the left side of the road and are designed to move traffic to the right of the barricade.

POLY SAND BAGS



Part No. BSB-O
(Orange) 100/Bdle

Part No. BSB-W
(White) 100/Bdle

- Size: 14" x 26"
- Draw Cord Tie



PAVEMENT STRIPING TAPE

FOL-300 Wet Reflective Pavement Tape

4" x 50yds / Roll	4" x 100 yds / Roll
3101 - 4" White	3102 - 4" White
3130 - 4" Yellow	3131 - 4" Yellow

FOL-200 Construction Grade Reflective

4" x 50yds / Roll	4" x 100 yds / Roll
3001 - 4" White	3002 - 4" White
3030 - 4" Yellow	3034 - 4" Yellow

High Index Glass Beads * Temporary Use. Offers great durability and reflectivity. Weather resistant.

TYPE III BARRICADES

National Sign Company



Option A:
Polymer Uprights
with Telespar® feet

(Option A)

3308DF	Double Faced Unit
3308SF-R	Single Faced Unit Right Slant
3308SF-L	Single Faced Unit Left Slant

X-Tube Polymer Heavy Duty Uprights

Complete Unit consists of

- (3) 8 ft x 1" x 8" panels with High Intensity Sheeting applied to one side or both sides
- (2) Steel Square Feet w/ Riser Stub
- (2) UPRIGHTS: Square Steel or X-Tube Polymer Heavy Duty Uprights
- (1) Hardware Kit

"The Volcano" #8660-RB

14" x 30.25" x 1.875" 43.25 lbs.



Optional Rubber Base



Option B:
Telespar® Uprights
with Telespar® feet

(Option B)

3508DF	Double Faced Unit
3508SF-R	Single Faced Unit Right Slant
3508SF-L	Single Faced Unit Left Slant

Steel Uprights

Type III Barricade Components

Orange and White Replacement Panels

BP-8HI-DF	8ft x 1" x 8" High Intensity	Double Faced	Orange/White R/L
BP-8HI-SF-R	8ft x 1" x 8" High Intensity	Single Faced	Orange/White Right Slant
BP-8HI-SF-L	8ft x 1" x 8" High Intensity	Single Faced	Orange/White Left Slant

Optional: Red and White Panels

#P308-DF-RW-HIP	8ft x 1" x 8" High Intensity	Double Faced	Red/White R/L
#P308-SF-RW-R	8ft x 1" x 8" High Intensity	Single Faced	Red/White Right Slant
#P308-SF-RW-L	8ft x 1" x 8" High Intensity	Single Faced	Red/White Left Slant

Upright:

#7821-5	X-Tube Polymer Heavy Duty Uprights	1.75" x 1.75" x 63"
#8609	Square Steel Upright, 14 Ga.	1.75" x 1.75" x 60"

Feet:

#8602	Square Steel	2" x 2" x 60" w/Welded Riser Stub
#8660-RB	"The Volcano"	14" x 30.25" x 1.875"

Hardware Kit:

#8168	Hardware Kit for X-Tube Polymer Heavy Duty Uprights
#8169	Hardware Kit for Square Steel Uprights

"X-Tube"



Heavy Duty

"End Of Road" Chevrons: #P308-HI-RWC 96"x 8" Aluminum

3M High Intensity Sheeting Single Faced Color: Red/White

1" Radius Corners No Holes



A-FRAME BARRICADE

Great for Crowd Control, Road Closures or Sidewalk Closures



OMNI™ A-Frame Leg

- One panel or two panel design
- Dimensions: 40"H x 28.6"W
- Weight: 6 lbs



Model 203 Series: High Intensity Prismatic (HIP)

A-40

3 Lengths: 6 foot, 8 foot or 10 foot; Double Faced (DF) Panels. The "Omni" A-Frame slot accepts Type III Panels, I-Beam Boards, Thin Rails and some Wood Boards



1" x 8" Panels are a hollow core extruded design. Internal walls provide lightweight strength and durability.

Part Number:	Description:
203W-306HIP	1 Panel 6ft HIP with 2 A-Frame Legs
2003W-306HIP	2 Panels 6ft HIP with 2 A-Frame Legs
203W-308HIP	1 Panel 8ft HIP with 2 A-Frame Legs
2003W-308HIP	2 Panels 8ft HIP with 2 A-Frame Legs
203W-310HIP	1 Panel 10ft HIP with 2 A-Frame Legs
2003W-310HIP	2 Panels 10ft HIP with 2 A-Frame Legs

TYPE II BARRICADES

ST-24-2

"ALL NEW DESIGN"



- Panels are 24"x8"
- High Intensity Prismatic Sheeting
- Steel Legs
- 13 lbs. each

- All plastic and maintenance free; molded hollow
- High Intensity Prismatic Sheeting
- Dimensions: 25"W x 45"H - Weight: 16 lbs.
- Features a molded in handle where a flashing light can be attached
- Available in W (White), Y (Yellow) or O (Orange) colors
- 2 units per order minimum



T88 HIP

24"x 8" (Top) / 24"x 8" (Bottom)



T128 HIP

24"x 12" (Top) / 24"x 8" (Bottom)

CROWDCADE™ Crowd Control Barricade

6ft. Durable Plastic Barricade with strong, plastic legs and rubber feet

Sturdy, and durable - thick, double wall panel

Feet won't break off from panel

- stable, recycled rubber feet, securely attached to panel

Easy stacking, no tangling of feet

- feet rotate flat for stacking

- molded-in lugs keep units from sliding when stacked

Tamper resistant linking bracket

- prevent in-line barricades from being pulled apart

Linking bracket accommodates various configurations

- units pivot on bracket and adjust to uneven ground

Holes for bolting on signs (one side)

Panels on both sides for retroreflective sheeting


Available in orange and white

Dimensions: 74" x 39.5" Connected Length: 6'

Weight: 32 lbs.



Reflective Sheeting can be added to both sides of panel



Holes for signs to be affixed



connected
unlocked



connected
locked



feet rotate
for stacking

Item Number	Striped Sheeting Direction	Description
2004-O	None	6 FT Barricade, Orange, No Sheeting
2004-O-EGL	Left	6 FT Barricade, Orange, Engineer Grade Striped sheeting on one side of the barricade
2004-O-EGR	Right	6 FT Barricade, Orange, Engineer Grade Striped sheeting on one side of the barricade
2004-O-EGLR	Left / Right	6 FT Barricade, Orange, Engineer Grade Striped sheeting on both sides of the barricade
2004-W	None	6 FT Barricade, White, No Sheeting
2004-W-EGL	Left	6 FT Barricade, White, Engineer Grade Striped sheeting on one side of the barricade
2004-W-EGR	Right	6 FT Barricade, White, Engineer Grade Striped sheeting on one side of the barricade
2004-W-EGLR	Left / Right	6 FT Barricade, White, Engineer Grade Striped sheeting on both sides of the barricade



Connected length is 6 feet for each barricade

**One-piece design
sets up and tears
down in seconds.**

**High Intensity Prismatic Sheeting
Applied to all Centerboards**

LaneGard³
FOLDING TYPE III BARRICADE



DOUBLE SIDED UNIT

- T3-LX5-342336RL** 4 FT Unit/Complete with 3 double sided centerboards and hardware
- T3-LX5-362336RL** 6 FT Unit/Complete with 3 double sided centerboards and hardware
- T3-LX5-382336RL** 8 FT Unit/Complete with 3 double sided centerboards and hardware

SINGLE SIDED UNIT


Indicate *Right* or *Left* when ordering

- T3-LX5-341336R (or L)** 4 FT Unit/Complete with 3 single sided centerboards and hardware
- T3-LX5-361336R (or L)** 6 FT Unit/Complete with 3 single sided centerboards and hardware
- T3-LX5-381336R (or L)** 8 FT Unit/Complete with 3 single sided centerboards and hardware



• **Some assembly required.**

T3-LX5 FRAME ONLY



Measures less than 3" thick when folded for transport or storage.

TRAFFIC CONES - For Work Zone Safety

High-Visibility Traffic Cones

Features

- Radiates vibrant orange color
- Durable, flexible
- Superior fluorescent pigment
- Stencilling available
- Meets MUTCD Specification



28PVRC-O-BLK
Standard 28" Cone with
Reflective Collars

Standard ZoneCone with Reflective Collars		
Part No.	Size	Weight
18PVRC-O-BLK	18"	3 lbs ea
28PVRC-O-BLK	28"	7 lbs ea
36PVRC-O-BLK	36"	10 lbs ea

Black Based Cone with Reflective Collars		
Part No.	Size	Weight
18PVRC-O-BLK	18"	3 lbs ea
28PVRC-O-BLK	28"	7 lbs ea
36PVRC-O-BLK	36"	10 lbs ea



28PVRC
Standard 28" Cone with
Reflective Collars

Size: 36" 2 Reflective Collars
10 lbs ea

#36PVRC-LIME

Cone-Bar : CB10YB • Extends to 10 feet

- Highest quality ABS material
- Retractable Design

Colors: Black / Yellow, Orange / White

Snap-On Signs

12 3/4" Wide x 10 1/2" Tall



SCHZ-Y



SWCL



DNE3



WETC



OPTR



NOTT



DET3



MENW



NP60



CAUT



FOIL



WP50



STCL



STOP
(Reflective Only)



SLOW



A100



AU15



AE10





C-42 Channelizer with 4 each 6", 2 Orange and 2 White Reflective Bands, CB-16 Base.

30 lb. Rubber Base CB-30



Re-routing traffic has never been safer! The trim-line design provides compact delineation, which is ideal for detours and construction projects. Traffic channelizers are highly visible with various reflective configurations. A tapered, fracture-resistant handle provides for added strength and easy pickup.

Channelizer Specifications

Model Number: C-42
Material: Linear High-Density Polyethylene
Color: UV Stabilized Orange
Height: 42"
Weight: 3.0 lbs. (Approximately)



C-42 Channelizer with 2 each 6" White Reflective Bands, CB-16 Base

16 lb. Rubber Base CB-16



Features:

- Maximum Visibility
- Five-Tier Design
- Multi-Purpose Handle
- Trim-Line Design

42" CHANNELIZER with RUBBER BASE INCLUDED

Part No.	Description
C42-2682-16	Channelizer w/2 each 6" High Intensity White Bands w/ 16 lb Base
C42-2712-16	Channelizer w/4 each 6" 2 each, DG Orange Bands, 2 each, HI White Bands w/ 16 lb Base
C42-2682-30	Channelizer w/2 each 6" High Intensity White Bands w/ 30 lb Base
C42-2712-30	Channelizer w/4 each 6" 2 each, DG Orange Bands, 2 each, HI White Bands w/ 30 lb Base



Great for Caution Tape




Easy Grip Handle

Watchtower™ Delineator

- 2 Sizes: 28" or 42" tall, 4" diameter post
- 2 white reflective 3" bands
- Durable polyethylene - bright orange for visibility
- Recycled rubber bases
- Meets MUTCD Standards
- For low volume, low speed areas: school drop off zones, airport drop off areas, etc.

Recycled Rubber Bases in Four Sizes





NiteLite II Reflective Fence


Part No: NL2-450P3W

- Nite Lite II plastic reflective safety fence creates a continuous, visual delineation for work zones and other hazards
- 3 Hi-Intensity Prismatic reflective stripes warn drivers and pedestrians of work zones, hazards or fixed objects
- Clearly visible at night
- Standard roll measures 4ft high x 50ft long; Weight 35 lbs.

Daytime Orange



Nighttime Reflective



Barricade Fence - Diamond Mesh

Part No: 2204-C

BARRICADE FENCE is available with bright yellow CAUTION Tape! This orange barrier fence combines a diamond mesh fence with three strips of laminated CAUTION Tape.

- Provides a secure and highly visible enclosure
- Smooth edges top and bottom
- Safety fence and caution tape in one
- Enhanced visibility - two color brightness
- Standard roll measures 4ft high x 50ft long; Weight 10 lbs.

Gemstone™ Vertical Panel

*** Part No: 4100-O-36-HIP (High Intensity Prismatic)**

Oversized handle with comfort grip - can be picked up easily.

- Panel Dimension 36"H x 8"W
- 6" wide stripes
- Recessed panel protects sheeting
- Flashing light mounting receptacle
- Solid recycled rubber bases
- Color: Orange
- Cone Dimensions: 44.5"H x 14.75"W
- Meets MUTCD Standards

Weight: 4 lbs.



4100-O-36-HIP

Part # 400-B-20R



20 lb. base

Part # 400-B-30R



30 lb. base

Printed Vinyl Marking Flags



• Larger flag size; Longer staff!

- Size: 4"x5"
- 30" Steel Wire Staff
- Size makes it easy to identify
- Fade resistant colors

APWA COLOR CODES

- Red.....Electric
- Yellow.....Gas, Oil, Steam
- Green.....Sewer
- Orange.....Communication
- Blue.....Water
- Pink.....Survey
- White.....Proposed Excavation
- Purple.....Non Potable Water


Printed - Standard Legend

Part Number	Legend
P450W-BLUE	WATER
P450W-GREEN	SEWER
P450W-RED	ELECTRIC
P450W-YELLOW	GAS
P450W-PINK	SURVEY
P450W-PURPLE	NON POTABLE WATER
P450W-ORANGE	CATV

PRINTED CUSTOM MARKING FLAGS

- Setup charges apply
- Minimum of 1000 Flags per order
- Legend: One ink color, One flag color

Plain Colors



No Legend

Warning Flags



ORANGE FLAGS
25/Bundle

18" and 24" mesh and solid vinyl flags.
Blaze orange color. Mesh flags have cloth binding.

Flag Number	Flag Size	Material	3/4" Round Staff
1024-18	18"	Vinyl	24" Wood
1036-24	24"	Vinyl	36" Wood
1024-18M	18"	Mesh	24" Wood
1036-24M	24"	Mesh	36" Wood
1010-18M	18"	Mesh	* No Staff *



DSFH3010
Triple Flag Holder Bracket
Zinc Plated

HYDRAFINDER™ - Hydrant Marker Flags

Standard 3/8" diameter white laminar matrix fiberglass marker with four 6" red and four 6" silver/white highly reflective tape strips that provide instant day and night visibility. HYDRAFINDER™ shaft is attached to a heavy duty zinc plated carbon steel spring that allows 360° rod flexibility. Easy hydrant installation with a mounting bracket that fits onto the existing hydrant 5/8" diameter bolt. Assembly is corrosion and UV resistant.

• Hydra5-A



A - Flat Bracket

• Hydra5-B



B - "L" US Pipe Bracket

• Hydra5-C



C - Port Mount: Attaches directly to the hydrant port outlet with a spring mount. Available with a 2.5" or 4.5" mounting ring.



Legends in **bold red** are typically used for emergency traffic control situations. Sign legends may be printed on any reflective or non-reflective material and custom legends are available for an additional temporary screen fee.

• **ACCIDENT AHEAD**

ACCIDENT AHEAD RIGHT LANE
ACCIDENT DETOUR AHEAD
ARROW LEFT 45°
ARROW RIGHT 45°

• **BE PREPARED TO STOP**

BEGIN MOWING ZONE
BLASTING ZONE TURN OFF 2-WAY RADIO
BRIDGE INSPECTION CREW
BUMP
BUMP AHEAD

• **CAUTION HIGH WATER**

CAUTION LOG TRUCKS
CAUTION MOTOR GRADER WORKING AHEAD
CAUTION PEDESTRIAN CROSSING SYMBOL
CAUTION SMOKE OR FOG AHEAD
COMMAND POST

• **DETOUR AHEAD**
DIP

• **EMERGENCY SCENE AHEAD**

EMERGENCY TRUCK REPAIR AHEAD
END MOWING ZONE
END ROAD WORK
END UTILITY WORK
EQUIPMENT IN RIGHT LANE
EXIT (WITH 45° UP RIGHT ARROW)
EXIT CLOSED

• **FIRE ACTIVITY AHEAD**

FIRE TRAINING AHEAD
FIRE TRAINING CENTER
FLAGGER AHEAD
FLAGGER SYMBOL
FLAGMAN AHEAD
FRESH OIL
FRESH OIL LOOSE GRAVEL
FRESH TAR

• **GIVE US A BRAKE SLOW DOWN**

GUARDRAIL DAMAGE AHEAD
HEAVY EQUIPMENT CROSSING
HIGH WATER

• **INCIDENT AHEAD**

• **LANE CLOSED AHEAD**
LANE SHIFT LEFT ARROW (SYMBOL)
LANE SHIFT RIGHT ARROW (SYMBOL)
LEFT LANE CLOSED
LEFT LANE CLOSED AHEAD
LITTER CREW AHEAD
LITTER PICK-UP AHEAD
LOG TRUCKS ENTERING HIGHWAY
LOW SHOULDER

• **MEN WORKING**

MEN WORKING AHEAD
MERGE AHEAD
MERGE LEFT
MERGE RIGHT
MERGE WITH LEFT ARROW
MERGE WITH RIGHT ARROW
MOWERS AHEAD
MOWING AHEAD
MOWING OPERATIONS AHEAD
MOWING ZONE

• **NO CENTER STRIPE**
NO PHONE ZONE
NO RIGHT TURN

• **ONE LANE ROAD AHEAD**
ONE LANE AHEAD

• **POTHOLE REPAIR AHEAD**

PREScribed BURN AHEAD
PREScribed BURN AHEAD DO NOT REPORT

• **RAMP WORK AHEAD**

REDUCED SPEED AHEAD
RESUME SPEED THANK YOU
RESTROOM BUILDING CLOSED
RIGHT LANE CLOSED
RIGHT LANE CLOSED AHEAD
RIGHT SHOULDER CLOSED AHEAD
RIGHT TURN LANE CLOSED
RIGHT TWO LANES CLOSED
ROAD CLOSED
ROAD CLOSED AHEAD
ROAD CLOSED TO THRU TRAFFIC
ROAD FLOODED
ROAD MACHINERY AHEAD
ROAD WORK AHEAD
ROAD WORK AHEAD FRESH OIL
ROUGH ROAD

• **SAFETY BELT ENFORCEMENT ZONE**

SAFETY RESTRAINT CHECKPOINT AHEAD
SHOULDER CLOSED
SHOULDER DROP-OFF
SHOULDER WORK
SHOULDER WORK AHEAD
SIDEWALK CLOSED
SLIPPERY WHEN WET SYMBOL
SLOW
SLOW SOBRIETY CHECKPOINT AHEAD
SOFT SHOULDER
SPEED LIMIT XX
SPRAYING OPERATIONS AHEAD
STATE POLICE SAFETY CHECK
STEEL PLATE IN ROADWAY
STOP AHEAD
STOP (OCTAGON)
SURVEY CREW
SURVEY CREW AHEAD
SWEEPER AHEAD

• **TELEPHONE WORKERS AHEAD**
TOW TRUCK AHEAD
TRAFFIC EMERGENCY AHEAD

TRAFFIC FINES DOUBLE IN WORK ZONES
TRAFFIC FINES DOUBLED IN WORK ZONES
TRAFFIC SURVEY AHEAD

TRAINING EXERCISE AHEAD

TRANSITION LEFT SYMBOL (NEW STYLE)
TRANSITION RIGHT SYMBOL (NEW STYLE)
TREE WORK AHEAD
TRUCK CROSSING
TRUCK SCALES AHEAD
TRUCKS ENTERING
TRUCKS ENTERING AND LEAVING HWY.
TRUCKS ENTERING HIGHWAY

• **UNEVEN LANES**

UTILITY CONSTRUCTION AHEAD
UTILITY WORK AHEAD
UTILITY WORKERS AHEAD

• **WATCH FOR SLOW TRAFFIC**

WATCH FOR STOPPED TRAFFIC
WATCH FOR WATER ON ROAD
WATER BREAK AHEAD
WATER OVER ROAD
WORK AREA AHEAD
WORKER SYMBOL
WORKERS
WORKERS AHEAD
WORKERS ON ROADWAY

• **YIELD (TRIANGLE)**






- Fiberglass ribs included with our Roll-ups

If you do not see the wording you need, please contact Customer Service

"RUR 36 OCT-STOP"



"FOR TEMPORARY USE"

- 36" Reflective Superbright Roll-up "STOP" with Model DSB100 Sign Stand, 42 lbs.
- Heavy Duty Fiberglass Ribs-Special Design

Superbright (SB)TM Superbright prismatic sign material. Offers outstanding visibility, day and night.
Colors: Fluorescent Orange, Fluorescent Pink, White, Yellow

Premium Vinyl (V) Non-Reflective Fluorescent Orange. **Daytime Material.** Solid Vinyl.

Premium Mesh (ME) Non-Reflective Orange. **Daytime Material.** Mesh

36" Roll-Up	Material Description
RRO36	Superbright (SB) Orange Reflective
RRP36PNK	Superbright (SB) Pink Reflective
RRME36	Mesh Orange, Non-Reflective
RRV36	Vinyl Orange, Non-Reflective

48" Roll-Up	Material Description
RRO48	Superbright (SB) Orange Reflective
RRP48PNK	Superbright (SB) Pink Reflective
RRME48	Mesh Orange, Non-Reflective
RRV48	Vinyl Orange, Non-Reflective

Overlays for 36" and 48" Roll-up Sign

- Overlays vary in length depending on size of sign and sign legend.
- Specify VelcroTM or Snaps for your overlays.

→ LEFT CENTER RIGHT 500 FT 1000 FT

36" Roll-Up	Material Description
OL-36R	Superbright (SB) Orange Reflective
OL-36M	Orange Mesh, Non-Reflective
OL-36NR	Orange Vinyl, Non-Reflective
OL-36PNK	Superbright (SB) Pink Reflective


48" Roll-Up	Material Description
OL-48R	Superbright (SB) Orange Reflective
OL-48M	Orange Mesh, Non-Reflective
OL-48NR	Orange Vinyl, Non-Reflective
OL-48PNK	Superbright (SB) Pink Reflective

Fold & Roll™ System For Emergency Traffic Control


The Fold & Roll™ sign and stand combination brings ultra compact system storage and lightning fast deployment to emergency traffic control. Designed so that a full 48" sign and stand unit fits easily into the trunk of a squad car. The Fold & Roll™ sets up far faster than any other system in the industry, allowing responders to concentrate fully on task at hand. Sign faces are made of fluorescent pink reflective material recommended by the FHWA and NFPA for use at emergency scenes.

Sets up in less than 20 seconds!

2 Sizes: 36" Roll up or 48" Roll up




Storage configuration for complete 48" and 36" sign systems



Complete Fold & Roll™ Systems - Pink

Model Number	Sign Material	Stand Only	Sign Only
36" DF3000X36PNK	Super Bright™ Reflective	DF3000S	3000XP-36PNK
48" DF3003X48PNK	Super Bright™ Reflective	DF3003S	3000XP-48PNK

Overlays



Signs become more versatile with the addition of velcro and overlays. Many other sign legend/overlay variations available on request.

Compact and Lightweight

Sign Stands come with latch bracket

- 3 Height adjustments on legs for use on uneven terrain
- Orange powder coated legs
- Crash design breakaway base
- Pull Pin and Kick Release for fast setup by hand or foot
- Skid resistant rubber feet
- Compact and lightweight

Flag Bracket
Included



SZ-412-2S
47 lbs



SZ-412-S
23 lbs

The DSB100 Stacker™ sign stand displays both 36" and 48" roll-up signs. Made of rubber from recycled tires.



42 lbs

DSB100 stand with
roll-up sign
(Sign Not Included)

DSB100 Stacker™ Stand

- Meets MUTCD specifications, NCHRP-350 compliant
- Low profile rubber base
- Two molded handles allows for easy transport
- Sign Stand Dimensions: 28"x 20"x 3"



T115 Tripod Stand

- Telescoping Mast
- 3 Flag Holder (Flags Not Included)
- Displays 36" or 48" rigid signs
- Ballast Hook on Back Leg

Optional Bracket to use Roll-up Signs
Part # RUB100



- Powder coated, rugged square tubular steel construction



T55 Tripod Stand

The **T55** tripod is an all-purpose three legged economy sign stand designed to hold 36" or 48" roll-up and rigid signs. Powder coated steel construction and ease of use makes the **T55** a smart choice for low to medium wind conditions.



PORTABLE SIGN POST Part No. GP-4

- 14" Cast Iron Base
- Pre-Drilled Pipe Post Included
- For 12" x 18" and 18" x 24" signs
- Weight: 32 lbs.
- Sign Sold Separately

ALUMINUM SIGN BASE Part No. NS-81



- 15" Aluminum Base
- 4" STUB included with hardware
- Use with U-Channel, Square or Round Posts
- Anchor Bolts not included
- Replacement STUB Part No. IN-81S

THIN, LIGHTWEIGHT LED TRAFFIC SIGNS 30" - Solar Powered Stop Sign

LIGHT AND
THIN DESIGN

PATENTED
TECHNOLOGY



- 40 LEDs on outside edge
- Diamond Grade sheeting
- Controller adjusts brightness levels automatically
- Standard programming: 0.1 sec ON, 24/7
- Solar Power Unit Included:
(10W, 9 Ah LifePo4 Battery & MPPT charger)
- 2.5' extension cable
- Post Not Included
- Installation post hardware included



Kit Number: 37532



Kit Number: 37737

Amber Lens

Yellow Background / Yellow Visor

Kit Number: 37705

Red Lens

Black Background / Black Visor

24/7 Solar 8" Flashing Beacon - Single

- Primary 8" Flashing Beacon
- Controller adjusts brightness levels automatically
- STD: 0.1 sec ON, 24/7
- 30W Solar Power Unit
- 2.5' extension cable
- Traffic sign and post not included
- Installation post hardware included



"WIG-WAG" - Double 8" Solar Flashing Beacon



Kit Number: 37741 (Horizontal Mount)

- 8" Solar Amber Double Flashing Beacon
- Master 8" Double Flashing Beacon
- Yellow Background and Yellow Visor
- 24" x 12"
- Controller adjusts brightness levels automatically
- STD: 0.1 sec ON, 24/7
- 30W Solar Power Unit
- 5' Extension cable
- Installation post hardware included
- Traffic sign and post not included



Kit Number: 37738 (Vertical Mount)

- 8" 24/7 Solar Amber Double Flashing Beacon
- Primary and Secondary 8" Flashing Beacon
- Yellow Background and Yellow Visor
- Controller adjusts brightness levels automatically
- STD: 0.1 sec ON, 24/7
- 30W Solar Power Unit
- 2.5' Extension cable
- Installation post hardware included
- Traffic sign and post not included



Kit Number: 38048

Your Speed, Speed Display

Black Letters, White Background

THIN-12-30 Watt Solar Driver Feedback

- THIN SIGN Technology, 202 Amber LEDs 12" Amber Digits
- Diamond Grade Sign - 24" x 30"
- Data Collector Included
- Controller adjusts brightness levels automatically
- Solar Power Unit Included:
(30W 14 Ah LifePo4 Battery & MPPT charger)
- 2.5' extension cable
- Installation post hardware included
- Post not included

Model: ES002

"Often imitated, but never duplicated"

- LED optic lens design allows for 30% more efficient light output
- Light recharges in 1 hour and lasts up to 2 weeks with no sunlight
- LifePo4 battery can last up to 5 years
- Case made from polypropylene
- 1.75" D Bolt Included
- Two-Sided Visibility

Model: ES360

360° Visibility

TYPE D



Lens Color Options:

(A) - Amber

(R) - Red

Model: ES002



Model: ES002 Type A/C

Model: ESB-DB

- Unique Base can be attached to square posts or u-channel posts or barricade
- Operates 24 hours a day and dims 50% at night to extend battery life
- Light intensity is up to 35 effective candelas
- 2-Way Operation: Flashing or Off only
- Extended battery life of up to 5 years in steady mode
- Solar Powered with 6 (six) 18650 LFP Lithium Battery
- 1.75" D Bolt Included
- Lens Color Options: (A) - Amber or (R) - Red
- One-Sided Visibility



Model: ESB-DB



TYPE B

Model: ESB

* Unique Base Design

• Base Mount: 1.25"L x 1.25"W x 4.5"H



On/Off and
Mode Switches



Battery Case
w/Battery Direction
Indicators



Hardware
(Per Case of 10 Lights)



Battery Case
Snaps In and Out

Part No. AC4D

- LED Light Source
- 3 Volt Photocell Circuit
- Operates on 4 D-Cell Batteries (not included)
- 7" Polycarbonate Lens
- Three way switch: Flash, Steady On, Off
- 10 Flashers/Cartron
- Lens Color Options: (A) - Amber or (R) - Red

SIGN FACE DECALS



Stop Faces: **R1-1-F**
Sizes: 24", 30", 36"

- **Save Money by "Refurbishing"** old, faded signage
 - Upgrade the Reflectivity Level to 3M High Intensity Prismatic (HIP) or 3M™ Diamond Grade Cubed (DG³)
- Faces have pressure sensitive, self-adhesive material with peel off liner.

**** Minimum Order: 10 Faces per Size, Legend, Color**

Please Specify size when ordering
(see measurements on page 1)



Yield Faces: **R1-2-F**
Sizes: 30"x30"x30"
36"x36"x36"

VEHICLE DOOR DECALS

Emblems are pressure sensitive, fully positionable vinyl, backed with 3M's Controltac adhesive. They are durable and removable making them a cost-effective alternative to permanent adhesive markings. Perfect for indentifying your fleet!



499-16
16" x 11 1/2" Squared Oval



229-18
18" Circle

Specify
your
wording
in these
areas.



499-16
16" x 11 1/2" Squared Oval



229-18
18" Circle

Easy Four-Step Ordering: 1. Shape 2. Size 3. Color 4. Legend/Wording
Color Options: Red, Blue, Black and Green on White Background

DATE DECALS

Part No. 478 - White Vinyl / Black Print

Part No. 479 - Yellow Vinyl / Black Print

Decals are overlaminated to provide additional surface protection against abrasion, some solvents, oil, gasoline and some acids.
Pressure Sensitive Adhesive, Non-Reflective and Individually Cut.

1	2	3	4	5	6
2024	2025	2026			
CITY OF STERLING, KS					
620-278-3423					
7	8	9	10	11	12

1	2	3	4	5	6
2024	2025				
2026	2027				
7	8	9	10	11	12

3" x 2"

WARNING											
Any person convicted of defacing, destroying or removing this sign may be fined up to \$1,000 or imprisoned for up to 1 year or both. Iowa Code §321.260											
SIGNS SAVE LIVES											
CITY OF ESTHERVILLE											
J	F	M	A	M	J	J	A	S	O	N	D
1	2	3	4	5	6	7	8	9	10	11	12
13	14	15	16	17	18	19	20	21	22	23	24
25	26	27	28	29	30	31					
24	25	26	27	28	29	30					

3" x 2.5"

ERECTED		*** WARNING ***	
YR	MO	UP TO \$500 FINE AND IMPRISONMENT FOR REMOVING OR TAMPERING WITH THIS SIGN NEBRASKA CODE # 39-619.01	
24	1 7		
25	2 8		
26	3 9		
27	4 10		
28	5 11	SIGNS SAVE LIVES PROPERTY OF:	
29	6 12	SAUNDERS COUNTY	

4" x 2"

PROPERTY OF											
CITY OF BONNER SPRINGS											
TO REPORT DAMAGE CALL (913) 441-1961											
J	F	M	A	M	J	24	25	26	27	28	29
J	A	S	O	N	D	30	31	32	33	34	35

4" x 4"



800-255-4369

INVERTED MARKING PAINTS

- Fast-drying formula.
- Convenient Spray-Thru™ cap.
- Non-clogging spray tip.

WATER-BASED MARKING PAINTS

20-oz. cans (17-oz. net wt.)

Part No.	APWA Color
S03801	Yellow APWA
S03901	White APWA
S03903	Blue APWA
S03904	Green APWA
S03905	Orange APWA
S03921	HiVis Yellow

Part No.	FLUORESCENT
S03612	Flo. Pink
S03620	Flo. Blue
S03630	Flo. Green
S03700	Flo. Orange
S03715	Flo. Purple

12 Cans per Carton



SOLVENT-BASED MARKING PAINTS

20-oz. cans (17-oz. net wt.)

Part No.	APWA Color
S03621	Blue APWA
S03631	Green APWA
S03821	HiVis Yellow APWA
S03900	Utility White APWA
S03550	Black

Part No.	FLUORESCENT
S03614	Flo. Neon Green
S03615	Flo. Purple
S03622	Flo. Hot Pink
S03702	Flo. Orange
S03722	Flo. Blue

12 Cans per Carton



PAVEMENT STRIPING PAINTS

- VOC compliant
- These fast drying paints deliver long-lasting durability
- Fast drying; traffic ready in 30 minutes
- Excellent bleed retention
- Universal, non-clogging spray tip is compatible with most striping machines

Model DW-PRO Measuring Wheel

- **Padded Cordura Carry Case Included**
- Designed and built for quality

- Wheel Diameter 12.5"
- Folded Length 19"
- Extended Length 37"
- Weight 6 lbs
- Measures to 9,999 Feet
- Trigger Operated Brake
- Sealed Roller Bearings

(Folded)

68900



SOLVENT BASED AEROSOL CANS

20-oz. cans (18-oz. net wt.)
6 Cans per Carton

Part No.	Colors
K08300	Highway White
K08301	Highway Yellow
K08302	Handicap Blue
K08304	Black



Barco Street Brooms



Part No. BBSB
4 1/4" Plastic Trim
Broom Head 18" width
6 / Carton

Barrier Tape - Roll Size 1,000 feet x 3" width

Used for setting off areas under construction, dangerous areas and potential hazardous areas.



- Brightly Colored
- Black Legend in 2" Bold Letters
- **Full Carton Only (12 Rolls/Carton)**
- **Non-Detectable**

71-1001	Caution, Caution, Caution
---------	---------------------------

Standard Speed Bump Specifications

- Use in moderate traffic areas
- For traffic speeds 10 mph or less
- Dual bottom channels for drainage
- 52 lbs. each

#SB72N-S 6 ft x 2.5" Tall
 • 3 yellow stripes
 • 12" Wide

#SB72N-SE 6 ft x 2.5" Tall
 • 3 yellow stripes
 • 8 Cat Eye Reflectors
 • 12" Wide

#SBE CN End Cap for 2.5" Tall - Speed Bumps Only

Standard Speed Bump



#SBE CN
 Optional End Cap
 2.5" tall - 3.5 lbs each

Premium Textured Speed Bump



- Use in heavy traffic areas
- For traffic speeds 10 mph or less
- Dual bottom channels for drainage
- 52 lbs. each
- Textured, vulcanized rubber
- 5 yellow stripes
- 8 Cat Eye Reflectors
- 6 ft sections only. 12" Wide



Installation Hardware for Speed Bumps and Parking Stops



Part# 450 LAG 4.5" Lag Bolt
 Part# 600 LAG 6" Lag Bolt
 Part# 1400 SPIKE 14" Rebar Spike

Hardware sold separately for Speed Bumps and Parking Stops



#PAB-SP-26E - Textured Only
 Optional Premium End Cap
 2" Tall - 3.5 lbs each

PARKING STOPS



#STN-6Y 72" YELLOW STRIPES, BLACK



#STN-6W 72" WHITE STRIPES, BLACK



#STN-6BW 72" WHITE STRIPES, BLUE



- Dimensions: 72" Length; 35 lbs. each
- 6" Wide by 4.5" High
- 4 Hardware pieces required



RESCUE "BLACK EAGLE" Diamond Blade

- Concrete, Steel, Wood, Ductile Iron, PVC Pipe, Cast Iron, Stone, Brick, Copper, Rebar
- Segment Height .196"

Size	Part No.
12" x .142" x 1"/20mm	RES-1203
14" x .142" x 1"/20mm	RES-1403
16" x .145" x 1"/20mm	RES-1603
18" x .145" x 1"	RES-1803
20" x .155" x 1"	RES-2003

UNIVERSAL "RED EAGLE" Diamond Blade

- **ASPHALT**, Cured Concrete, Green Concrete
- Segment Height .400"

Size	Part No.
12" x .125" x 1"/20mm	LDH-1203
14" x .125" x 1"/20mm	LDH-1403
16" x .125" x 1"/20mm	LDH-1603
18" x .125" x 1"/20mm	LDH-1803

**WALK BEHIND "SEGMENTED" Diamond Blades "GOLDEN EAGLE"****(Specify: CC1000, CC2000 or CC3000)**

- Walk-Behind
- **1000** - Hard Aggregate: River Rock: Fast Cutting
- **2000** - Medium Aggregate: General Purpose
- **3000** - Soft Aggregate: Limestone
- Segment Height .400"
- Diamond Depth .335"



Size	Part No.
14" x .125" x 1"	CC-1403
16" x .125" x 1"	CC-1603
18" x .125" x 1"	CC-1803
20" x .125" x 1"	CC-2003
24" x .150" x 1"	CC-2405
26" x .150" x 1"	CC-2605
30" x .175" x 1"	CC-3006

Magnesium Lute Rakes with T-Connector

Blunt: Rounded Teeth



- Durable lightweight magnesium
- 1 3/8" Aluminum handle

Part#	Description	Size - in.	Blade Type
24545	Lute w/ 6' handle	3x36	Blunt
24553	Lute w/ 7' handle	3x36	Blunt
24554	Lute w/ 8' handle	3x36	Blunt
24505	Repl. Blade Only	3x36	Blunt

LED MINI LIGHT BARS - LOW PROFILE

High Output LED

- WIDER VIEWING ANGLE
- USER SELECT FLASH PATTERNS

MINIFLMZ-C (Magnetic Mount)


MINIFLZ-C (Permanent Mount)

- Magnetic mount version includes 3-75 lb pull magnets
- 15 ft straight cord and plug with On/Off switch



"Mini" 13.5" x 2.75"

Illustrated: Permanent Mount



17.25" x 2.75"

High Output LED

MMBZLEDFLM-C (Magnetic Mount)

MMBZLEDFL-C (Permanent Mount)

Specifications for High Output, Low Profile Light Bars

- 12/24V
- Low Current Draw
- Single or Multi Color Options
- Single Colors: Amber (A), Red (R), Blue (B) or Green (G)
- Multi Color Options: Amber/Blue (A/B), Amber/Green (A/G), Red/Blue (R/B) or Blue/Green (B/G)



#VPEHD-F150 19" x 8"

- Designed to fit Ford F-150
- Model Years 2015 and Newer



#VPEHD-CHGM 19" x 8"

- Designed to fit 2014 and newer models Chevrolet Silverado / GMC Sierra

Vehicle Platforms for F-150, Ford Super Duty, Chevy Silverado and GMC Sierra Trucks

DESIGNED AND BUILT TO INSTALL USING THE 3RD BRAKE LIGHT (3RD BRAKE LIGHT NOT INCLUDED)

Proper installation requires two holes to be drilled into the inner framework of the 3rd brake light

#VPE-MAGPLATE - Metal add-on plate for magnetic mount lights



Small Diameter Broom

Model	Part No.	Length
Elgin Crosswind	21-021078CRP	78"
Elgin Whirlwind	21-021660WWP	60"
Elgin Whirlwind MV	21-021654ELP	54"
Johnston 400	21-041248ECP	48"
Johnston 600	21-041552JOP	52.5"
Tymco 600	21-021279TYP	79"

Large Diameter Broom

Model	Part No.	Length
Athey Mobil	21-083658MOP	58"
Elgin Eagle	21-083660EAP	60"
Elgin Pelican	21-083666ELP	66"
Johnston 3000/4000	21-053256VNP	56.5"
Tennant 830	21-082450TEP	50.75"
Tennant Centurion	21-083668TEP	68"



Gutter Brooms



Model	Part No.	Sections
Athey Mobil	41-PATMOP4	4
Elgin Crosswind	41-PATWWP2	2
Elgin Crosswind	41-PATELP4	4
Elgin Eagle	41-PATELP5	5
Elgin Pelican	41-PATELP4	4
Elgin Whirlwind	41-PATWWP2	2

Model	Part No.	Sections
Elgin Whirlwind MV	41-PATWWP2	2
Johnston 3000 / 4000	41-PATFMP12	12
Johnston 3000 / 4000	41-PATWAP4	4
Tennant 830	41-PATTEW1	1
Tennant Centurion	41-PATELP5	5

Bulk Gutter Broom Wire #90-26PATWGBCB - 75 lbs/ctn

Wafers

6 3/8" x 21 3/8" Wafers	Part No.	Quantity
Poly Convuluted	04-063213PC24	24 / Ctn
Wire Convuluted	09-063213WC24	24 / Ctn
6 3/8" x 24" Wafers	Part No.	Quantity
Poly Convuluted	04-063240PC25	25 / Ctn
Wire Convuluted	09-063240WC24	24 / Ctn

10" x 32" Wafers	Part No.	Quantity
Poly Convuluted	04-100320PC24	24 / Ctn
Wire Convuluted	09-100320WC24	24 / Ctn
Combo Convuluted	12-100320CC24	24 / Ctn



UnitedPro™ Strip Brooms

UNITED PRO STRIPS fit in compact boxes, reducing shipping cost. The Spiral Strip Sweep Mandrel keeps the broom in constant pavement contact reducing vibration and wear. Change out your main broom without removing the mandrel; a job that took two men, only takes one pair of hands.

The UnitedPro™ Strip Broom moves debris with impressive sweeping results.

Machine	Part No.	Rows	Quantity / Amount Required
Elgin Eagle 60"	20-130600AP	18	9 Strips / Ctn - 2 Ctns Required
Elgin Eagle 60"	20-120600AP	21	7 Strips / Ctn - 3 Ctns Required
Elgin Pelican 66"	20-130660AP	18	9 Strips / Ctn - 2 Ctns Required
Elgin Pelican 66"	20-120660AP	21	7 Strips / Ctn - 3 Ctns Required
Global M3/MX3 56.5"	20-130565AP	13	13 Strips / Ctn - 1 Ctn Required
Johnston 3000/4000 56.5"	20-130565AP	13	13 Strips / Ctn - 1 Ctn Required
Mobil/Athey 58"	20-130580AP	18	9 Strips / Ctn - 2 Ctns Required
Mobil/Athey 58"	20-120580AP	21	7 Strips / Ctn - 3 Ctns Required
Wayne Warrior 68"	20-120680AP	21	7 Strips / Ctn - 3 Ctns Required

Broom Basic Tip!

Mandrels that sweep debris to the center are used by the street sweeping industry

Easy on the
Environment
100%
Recyclable



"MAKING BRUSHES, IT'S WHAT WE DO!"
UNITED
ROTARY BRUSH CORPORATION
Street Sweeping



Short Sleeve
9118 Lime - 9119 Orange

Performance Features:

- Microfiber polyester material.
- 2" wide reflective material.

Pockets:

- Left chest pocket.

Sizes: M-5X

ANSI 107 Type R - Class 3 Compliant



Short Sleeve
9110 Lime - 9111 Orange

Performance Features:

- Microfiber polyester material.
- 2" wide reflective material.

Pockets:

- Left chest pocket.

Sizes: S-5X

ANSI 107 Type R - Class 2 Compliant



Short Sleeve
9700 Fluorescent Red
9114 Lime - 9115 Orange

Performance Features:

- Microfiber polyester material.
- 2" wide reflective material.

Pockets:

- Left chest pocket.

Sizes: M-5X

ANSI 107 Type R - Class 2 Compliant

Heavy Duty Class 2 Vest
1510 Lime - 1511 Orange

Performance Features:

- Ultra-Cool 100% polyester mesh
- Brilliant Trim reflective edging
- Zipper front closure
- 2" wide reflective material with 3" breathable contrasting color

Pockets: 6

Sizes: M-5X

ANSI 107 Type R - Class 2 Compliant



Heavy Duty Class 2 Vest
1513 Lime - 1514 Orange

Performance Features:

- Ultra-Cool 100% polyester mesh
- Zipper front closure
- 2" wide reflective material with 3" breathable contrasting color
- Reflective trim around arms & piping down sides for added low light visibility

Pockets: 6

Sizes: L-5X

ANSI 107 Type R - Class 2 Compliant



Zipper Mesh Vest
1547 Lime - 1548 Orange (Economy)

Performance Features:

- 100% polyester mesh
- Zipper front closure
- 2" wide reflective material

Sizes: S-M, L-XL, 2X-3X, 4X-5X

ANSI 107 Type R - Class 2 Compliant



Breakaway Class 2 Vest
1535 Lime - 1536 Orange (Economy)

Performance Features:

- 100% polyester mesh
- 5-point breakaway
- 2" wide reflective material

Pockets: Left Chest

Sizes: S-M, L-XL, 2X-3X, 4X-5X

ANSI 107 Type R - Class 2 Compliant



4 Season Breakaway Vest
1166BA Lime

Performance Features:

- Ultra-Cool 100% polyester mesh
- 5-point breakaway
- Hook & loop front closure
- Two 1" wide reflective material with 4.5" breathable contrasting color

Pockets: 4

Sizes: M-XL, 2X-4X

ANSI 107 Type R - Class 2 Compliant



BOMBER JACKET

Performance Features:

- Durable ripstop material
- Waterproof seam sealed construction
- Fleece body & hood
- Hood fits into the collar or can be removed altogether
- Quilted sleeves for easy arm in and out access
- 2" wide reflective material
- Adjustable cuffs with rubber pulls for easy use when wearing gloves
- Left and right mic tabs

Pockets: 6

Sizes: M-5X

ANSI 107 Type R - Class Compliant

JS130 - Lime
JS131 - Orange
JS132 - Flo Red



Superior Quality!




RIGID STOP/SLOW PADDLES

Aluminum STOP / SLOW Paddle		
Part Number	Octagon Size	Reflective Sign Face Material
A18HIA	18"	High Intensity
A24HIA	24"	High Intensity



Stop/Slow Paddle

***Optional Two Piece Handle**




- All paddles include attached 12" ABS orange handle.
- Optional two piece handles to extend handle length.

“FIRSTGARD” FOLDABLE “3 LEGGED” CONE

FIRSTGARD BENEFITS:


FirstGard is a patented, foldable traffic cone that can be deployed nearly instantly. Lightweight but heavy enough to remain stable, FirstGard is designed to be transport-friendly, folding to just 1 1/2" in height, enabling the storage of multiple units while requiring minimal storage space. This innovation in channelizing devices will provide fire services and emergency management teams with increased conspicuity and visibility while in conformity to the MUTCD.



Part # FG-5

- 5 Cones per Set
- Heavy Duty Storage Bag
- 19 lbs. / set

PRODUCT DIMENSIONS:



Quick and Easy to Deploy!

VERSI-CLAMS (UPS-ABLE) SPECIFY 12" OR 16" BUCKET

PART NO. (12")	PART NO. (16")	LENGTH	USE AS
MHC-12-6	MHC-16-6	6 FOOT	6 FOOTER
MHC-12-8	MHC-16-8	8 FOOT	6, 8 FOOTER
MHC-12-10	MHC-16-10	10 FOOT	6, 10 FOOTER
MHC-12-12	MHC-16-12	12 FOOT	6, 12 FOOTER
MHC-12-14	MHC-16-14	14 FOOT	6, 12 OR 14 FOOTER
MHC-12-16	MHC-16-16	16 FOOT	6, 12 OR 16 FOOTER
MHC-12-18	MHC-16-18	18 FOOT	6, 12 OR 18 FOOTER
MHC-12-20	MHC-16-20	20 FOOT	6, 12, 18 OR 20 FOOTER
MHC-12-25	MHC-16-25	25 FOOT	6, 12, 18 OR 25 FOOTER



MHC

**KNOCK-DOWN
DESIGN SO ALL
SIZES CAN BE
SHIPPED FOR
"BIG SAVINGS"**

PVC WATER DISCHARGE HOSE

Lightweight, non-water absorbing hose that rolls up flat for easy storage and handling. Sizes: 1 1/2" to 6"



**Hose Assembly: Aluminum Part
"C" Hose Shank Coupler with
Steel Discharge Nipple**



**Hose Assembly: Male and
Female Threaded Shank
Couplings**

PVC SUCTION HOSE

Very flexible PVC, smooth bore, reinforced with high density spiral of PVC, fully embedded in the body of the hose. Lightweight, easy to handle.



**Hose Assembly: Aluminum Part "C" Hose
Shank Coupler with Steel Discharge Nipple**

Hose Sizes: 1 1/2" thru 6"

CONTINUOUS ROD

RLF-HD



PART NO.	DESCRIPTION
MCW-2	.375 CONTINUOUS ROD
MCW-3	.393 CONTINUOUS ROD
RLF-HD	ROD LOADING FRAME HEAVY DUTY 6 SPOKE

FILL HOSE



PART NO.	DESCRIPTION
FH250-25	2 1/2" x 25 ft
FH250-50	2 1/2" x 50 ft

Available in 25 or 50 foot lengths. For open end discharge. Maximum working pressure: 125 PSI. White circular woven polyester over smooth black rubber tube.

VERSA-CUTTER 3-BLADE CHUCK

VCSS-2 .393 SET



SET SCREW TYPE

FLAT VERSA-CUTTER BLADES FOR VERSA CHUCK



MSF

PART NO.	DESCRIPTION
MSF-6	6" BLADES (EACH)
MSF-8	8" BLADES (EACH)

EQUIPMENT CHAIN SETS

- Heavy duty twist link cross chain
- Designed for plows, graders and loaders

Tire Sizes	Part No.	Weight per Set	Replacement Cross Chain Part No.	Cross Chain Links	Cross Chain Diameter
13.00-24 14.00-20	#2612	107 lbs	#6630	17	9/0
14.00-24 14.00-25	#2615	123 lbs	#6630	17	9/0
16.00-20 17.5-25	#2624	166 lbs	#6640	15	11/0
20.5-25	#2633	202 lbs	#6650	19	11/0
23.5-25	#2645	365 lbs	#6660	20	14/0



SINGLE TRUCK CHAIN SETS (HIGHWAY SERVICE)

Tire Sizes	Part No.	Cam Part No.	Weight Per Set
9.00-20 10-22.5 255/80R22.5 265/75R22.5	2241R	2241CAM	46 lbs
10.00-20 11-22.5 275/80R22.5	2245R	2245CAM	49 lbs
11.00-15TR 11.00-20 12.22.5 12.5-22.5	2251R	2251CAM	62 lbs



8MM SQUARE STRAIGHT LINK **ALLOY** CHAINS

Tire Sizes	Singles		
	Part No.	Cam Part No.	Weight per Pair
10.00-20 11-22.5 275/70R22.5 275/80R22.5 295/75R22.5 305/70R22.5 275/80R24.5 285/75R24.5	2145HD	2145HDLG	80 lbs
10.00-22 11-24.5	2149HD	2149HDLG	85 lbs



ALLOY PATTERN EQUIPMENT CHAINS

- **Square link alloy** cross chains for added durability and increased traction
- **Case hardened alloy** side chain and alloy cross chain hooks
- Cross chain pattern keeps cross links on top of tire tread
- Built-in draw chain for tightening

Tire Sizes	Part No.	Weight per Pair	Replacement Cross Chain Part No.	Cross Chain Size
13.00-24 13.00-25 14.00-20 14.00-21	5612	132 lbs	6615	8mm
14.00-24 14.00-25	5615	132 lbs	6615	8mm
16.00-20 16.00-21 17.5-25	5624	216 lbs	6624	10mm
20.5-25	5633	246 lbs	6633	10mm



TWIST LINK CONTINUOUS CROSS CHAIN - HARDENED

Nominal Size	Material Diameter		Wt per 100 Ft	Carton		Drums	
	Inches	Decimal		Ft/Pkg	Part Number	Ft/Pkg	Part Number
7/0	5/16"	0.312	77 lbs	100	2556-512-25	NA	NA
9/0 TRUCK	3/8"	0.375	135 lbs	100	2563-502-25	500	2563-542-25
11/0	7/16"	0.437	184 lbs	50	2569-502-25	300	2569-542-25
14/0	17/32"	0.531	254 lbs	NA	NA	200	2579-542-25



SQUARE LINK CONTINUOUS CROSS CHAIN - HARDENED

Nominal Size	Material Diameter	Wt per 100 Ft	Carton		Drums	
			Ft/Pkg	Part Number	Ft/Pkg	Part Number
6/0	7 mm	90 lbs	100	2961-502-25	N/A	N/A
7/0	8 mm	107 lbs	100	2962-502-25	500	2962-542-25
9/0	10 mm	160 lbs	100	2964-512-25	300	2964-544-25



STRAIGHT LINK SIDE CHAIN

Nominal Size	Material Diameter		Wt per 100 Ft	Carton	
	Inches	Decimal		Ft/Pkg	Part Number
7/0 TRUCK	5/16"	0.312	67 lbs	100	2256-512-02
9/0	3/8"	0.375	104 lbs	100	2263-512-02



Material Diameter		
Nominal Size	Inches	Decimal
7/0	5/16	0.312
9/0	3/8	0.375



271



451*

WITHOUT WASHER

CROSS CHAIN HOOKS

Stock Number	Material Size		Part No.	Description	Carton Quantity	Weight per Box
	Inches	Decimal				
271	5/16"	.312	7901-271-02	MEDIUM TRUCK	50	8 lbs
290	3/8"	.375	7901-290-02	HEAVY TRUCK	50	13 lbs
317	7/16"	.437	7901-317-02	GRADERS	50	22 lbs
*451	7/16"	.437	7990-451-25	*9/0 SWIVEL HOOK	50	12 lbs


SIDE CHAIN FASTENERS

Stock Number	Used With	Std Pkg Quantity
713 F	MEDIUM & HEAVY TRUCK	12 PCS
714 F	HEAVY GRADER	1 PC
6003	MEDIUM TRUCK - 6mm	25 PCS
6002	HEAVY TRUCK - 8mm	25 PCS
6004	HEAVY EQUIPMENT - 10mm	25 PCS




MOTOR GRADER CUTTING EDGES **National Sign Company**


GRADER EDGE #GB20319 - **5/8" HOLES** - 5/8" x 8" x **72"** CDB - (8) SQ. CTSK. HOLES




GRADER EDGE #GB20343 - **5/8" HOLES** - 5/8" x 8" x **84"** CDB - (9) SQ. CTSK. HOLES




GRADER EDGE #GB20367 - **5/8" HOLES** - 5/8" x 8" x **96"** CDB - (10) SQ. CTSK. HOLES




GRADER EDGE #GB20331 - **3/4" HOLES** - 5/8" x 8" x **72"** CDB - (8) SQ. CTSK. HOLES




GRADER EDGE #GB20355 - **3/4" HOLES** - 5/8" x 8" x **84"** CDB - (9) SQ. CTSK. HOLES




GRADER EDGE #GB20379 - **3/4" HOLES** - 5/8" x 8" x **96"** CDB - (10) SQ. CTSK. HOLES




PLOW BLADE #BB20309 - **5/8" HOLES** - 5/8" x 8" x 120" FSE - (12) SQ. CTSK. HOLES




PLOW BLADE #BB20315 - **5/8" HOLES** - 5/8" x 8" x 132" FSE - (13) SQ. CTSK. HOLES




PLOW BLADE #BB20321 - **5/8" HOLES** - 5/8" x 8" x 144" FSE - (14) SQ. CTSK. HOLES



CARBIDE **INSERTED** PLOW BLADE #CB15082 - **5/8" HOLES** - 3/4" x 6" x 35 15/16" FSE - (5) SQ. CTSK. HOLES



CARBIDE **INSERTED** PLOW BLADE #CB15083 - **5/8" HOLES** - 3/4" x 6" x 47 15/16" FSE - (6) SQ. CTSK. HOLES



Grade 8 Plow Bolts





BOOTS



CHEST WADERS

SUPER BRUSH TUFF®



FEATURES

- 32" Height
- OD Green
- Comfort Zone: 40 to 90° F
- Fiberglass Shank
- ZXT Premium Rubber
- Chevron Cleated
- Multi-layered Rubber

#156040



FEATURES

- Realtree Max-5®
- 1200G Thinsulate
- Upper 5mm Neoprene
- Steel Shank
- Jersey Lining
- Full Sizes Only
- Buckle Straps

#700152



FEATURES

- 32" Height
- Forest Green
- Comfort Zone: -20 to 70° F
- Wool Felt Insulation
- ZXT Premium Rubber
- TRAC-Lite Outsole
- Double-layer Ribbed Vamp

#700066

ALPHABURLY™ PRO

STYLE	HEIGHT	WEIGHT	COLOR/PATTERN	INSULATION	COMFORT ZONE
376001	18"	4.8 LBS	FOREST GREEN	NON-INSULATED	30 TO 80°F
376011	18"	5.2 LBS	FOREST GREEN	800G	-50 TO 40°F
376018	18"	5.5 LBS	GORE OPTIFADE ELEVATED II	1600G	-70 TO 30°F
376030 ★	18"	5.5 LBS	REALTREE EDGE™	1000G	-60 TO 30°F

Sizes: 6-15 Whole Sizes Lining: Jersey Shank: Nylon Footbed: Removable EVA

FEATURES

- Hand-laid premium rubber over a 3.5mm neoprene core for flexible, waterproof, scent-free comfort
- Embossed liner increases air circulation inside the boot, wicks moisture and is quick drying
- Active Fit with adjustable neoprene gusset for easy on/off and a secure, comfortable fit on foot
- Multilayer rubber on the toe and heel plus a double-layer vamp for added support and durability



#376001



#376011



#376018



#376030

★ SIDE ZIPPER



CREDIT APPROVAL: Shipment and delivery shall be subject to approval by our credit department. To avoid delay, purchasers who do not have an account with us should accompany their orders with sufficient satisfactory credit information and references or authority to ship via common carrier or with payment in advance. Credit Cards are Accepted for purchasers without current, sufficient, satisfactory credit information.

FREIGHT CHARGES: Customers requesting common carrier or other special shipping services will be expected to bear the cost of the same unless otherwise agreed.

QUOTATIONS: Quotations are for immediate acceptance and are valid for no more than 30 days unless otherwise stated. Prices quoted are on the basis of F.O.B. Point of Origin, unless otherwise specified. All clerical and stenographic errors in quotations are subject to correction without notice.

SHIPMENT CLAIMS/RETURNED GOODS

Check each item on receipt and note receiving exceptions in writing on delivery documents. Report errors and damage promptly. If damage is concealed, keep packing materials and call for inspection. We will assist you in substantiating your claim and recovering your loss from the carrier.

Merchandise may be returned for credit or exchange with our consent. Unless the merchandise was shipped by us in error, or is defective, credit for all merchandise returned will be subject to reduction by 25% minimum restocking charge and further reduced by transportation charges covering the return. National Sign Company Inc. will advise you if the restocking fee will exceed 25%.

Credit for return of special signs not ordinarily manufactured by National Sign Company Inc. will not be allowed.

PRICES, TERMS, TAXES

Current prices are available on request from our sales office. All prices are exclusive of freight and any tax in force.

Our terms are net 30 days payable at our office in Ottawa, Kansas. Interest on outstanding balances will be charged at the legal rate after due date of invoice, plus attorney's fees, should they be required, in collection litigation.

National Sign Company Inc. will accept a valid Exemption Certificate from our customer; however, if an Exemption Certificate previously accepted is not recognized by the taxing authority and National Sign Company Inc. is required to pay the tax, the customer agrees to promptly reimburse National Sign Company Inc. for the taxes paid.

REPRESENTATIONS/LIMITED WARRANTY

This catalog was compiled from information, specifications and data furnished by various sources and National Sign Company Inc. assumes no responsibility and makes no representations as to the accuracy of the information, data, and specifications of the goods. All illustrations and descriptions of goods are for the sole purpose of identification and are not intended to create an express warranty that the goods comply with the description.

All goods in this catalog are offered for purchase by buyer "AS IS" and "WITH ALL FAULTS". National Sign Company Inc. makes no warranty, expressed or implied, as to the merchantability of goods illustrated and described in this catalog, or that such goods are fit for any particular purpose. Any warranty offered by a manufacturer applies and extends only to the original purchase of new goods.

National Sign Company's liability for damages, including direct, indirect, incidental or consequential, as a result of a breach of manufacturer's warranty, shall not exceed the manufacturer's liability under its warranty. Copies of all manufacturers' warranties are available upon request.

National Sign Company Inc. assumes no responsibility and further disclaims any responsibility for direct, indirect, incidental and consequential damages to the purchaser or any other person for injury to person, or damage to or loss of property, or damage to business or loss of use of property caused by any goods sold by National Sign Company Inc.

National Sign Company Inc. assumes no liability and further disclaims any liability for damages, direct, incidental or consequential or any other expenses incurred as a result of improper or nonconforming goods shipped or because of delay in shipment, or through failure to ship, or for nondelivery of goods on a specified date due to fire, flood, strikes, accidents, government negotiations, delay of carriers and other causes beyond our control.

The buyer's sole and exclusive remedies for any nonconforming goods or defective goods is limited to the return of the goods and repayment of the price or to repair and replacement of nonconforming goods or parts, at the option of National Sign Company Inc., provided, however, that nothing contained herein shall be construed to limit consequential damages for injuries to a person in the case of consumer goods.

Telephone: 800-255-4369

